

INDEX OF AUTHORS

Abildskov, J. A., 267, 381, 719
 Abrams, W. B., 400
 Ackerman, R. F., 581
 Adams, W. R., 741
 Alcalá, R., 903
 Anderson, R. M., 641
 Angrist, A. A., 908
 Askovitz, S. I., 648

Bahnson, H. T., 494
 Bailey, C. P., 22
 Barreda, P., 903
 Bay, E. B., 741
 Beckner, G. L., 835
 Berglund, E., 706
 Bergström, J., 687, 700
 Bird, G. S., 813
 Bisteni, A., 82
 Blount, S. G., Jr., 801
 Boag, L. M., 813
 Boag, T. J., 813
 Bolton, H. E., 22
 Boyle, A. J., 247
 Bridges, W. C., 416
 Broadbent, J. C., 890
 Brooks, L., 199
 Brown, G. M., 813
 Bucht, H., 687, 700
 Burch, G. E., 267, 381, 719
 Burnum, J. F., 89, 511

Catchpole, B. N., 408
 Chandler, D. E., 247
 Chapman, C. B., 57, 193, 347
 Chesley, G. L., 400
 Cochran, B., Jr., 527
 Cole, D. R., 321
 Cronvich, J. A., 267, 381
 Cullen, C. F., 335

Dailey, R. E., 32
 DeGraff, A. C., 115
 Delahaye, J. D., 813
 Delisle, C., 63, 68
 Dexter, L., 758
 deWolfe, V., 1
 Dimitroff, S. P., 533
 Drury, D. R., 238

Edelman, I. S., 199
 Ek, J., 687, 700
 Eliasch, H., 687, 700
 Elliott, R. V., 281
 Ellis, E. J., 521
 Eurman, G. H., 586

Ferencz, C., 161
 Field, H., Jr., 32
 Finland, M., 292
 Fisher, H., 367
 Flasher, J., 238
 Flick, D. F., 32
 Fox, A. C., 352
 Frank, E., 555, 724
 Fraser, R. S., 57, 193, 347
 Frasher, W. G., 527
 Freeman, N. E., 180
 Freis, E. D., 540
 French, R. M., 571

Gardberg, M., 563
 Gensini, G., 801
 Gifford, R. W., Jr., 363
 Gige, W., 592
 Gilbert, R. P., 847
 Gilfillan, R. S., 180
 Glass, M., 908
 Glover, R. P., 881
 Goldberg, M., 847
 Goldman, I. R., 220
 Goyette, E. M., 17
 Green, D. M., 416, 521
 Green, J. E., 813
 Griffin, J., 847
 Griffith, G. C., 527
 Grusin, H., 860

Halpern, M. H., 547
 Hamilton, B. E., 922
 Hamilton, W. F., 276
 Harken, D. E., 199
 Harris, A. S., 82
 Hatcher, J. D., 813
 Haynes, F. W., 758
 Helm, R. A., 425
 Hick, F. K., 857
 Hickam, J. B., 89, 511
 Hoffpauir, C. W., 82
 Humphries, A. W., 1

Iseri, L. T., 247

Jamison, W. L., 22
 Janes, J. M., 363
 Janton, O. H., 881
 Jepson, R. P., 408
 Jiménez Diaz, C., 903
 Johnson, A. D., 416
 Johnson, A. L., 161
 Johnston, F. D., 255, 868
 Jones, R. J., 741

Katz, L. N., 321
 Kay, C. F., 555, 724
 King, H., 504
 Kleinerman, J., 443
 Kotte, J. H., 425
 Kyrakis, D. T., 281

Lau, F. Y. K., 571
 Leeds, F. H., 180
 LeFevre, F. A., 1
 Lehmann, J. H., 416
 Lilienfield, L. S., 540
 Linenthal, A. J., 96, 482
 Lukash, L., 908
 Lurie, P. R., 504

McClure, W. W., 600
 McCord, M. C., 801
 McDonald, L., 758
 McFee, R., 255, 868
 McGuire, J., 425
 McIntosh, H. D., 89, 511
 Mandelbaum, H., 388
 Mandelbaum, R. A., 388
 Mendlowitz, M., 586
 Meyers, R., 719

Molina, A. F., 903
 Moore, F. D., 199
 Moser, M., 73
 Myers, G. B., 247
 Myrden, J. A., 199

Nerlich, W. E., 527
 Nichols, H. T., 22
 Norman, L. R., 482
 Olwin, J. H., 230
 O'Neill, T. J. E., 881
 Overholt, E. L., 17

Packard, R. G., 281
 Page, J., 813
 Page, R. G., 741
 Parkin, T. W., 363
 Partenope, E. A., 540
 Pascale, L. R., 230
 Pettit, G. A., 82
 Phalen, G. S., 1
 Prandoni, A. G., 73
 Pullman, T. N., 600

Raab, W., 592
 Rabinowitz, M., 758
 Rapaport, E., 17
 Redisch, W., 63, 68
 Reilly, W. A., 571
 Richards, D. W., 606
 Rivin, A. U., 533
 Rose, J. C., 540

Sampson, J. J., 38
 Sancetta, S. M., 443
 Sarnoff, S. J., 706
 Saxton, G. A., Jr., 758
 Schild, A., 648
 Schnabel, T. G., Jr., 648
 Scott, J. W., 853
 Scott, K. G., 571
 Seide, M., 741
 Shaw, M. B., 1
 Shore, M. L., 581
 Shumacker, H. B., Jr., 504
 Singian, E. B., 321
 Smith, W. W., 352
 Soloff, L. A., 367
 Sprague, H. B., 127
 Starr, I., 648, 664
 Steele, J. M., 63, 68
 Stephen, J. D., 886
 Stephens, C. A. L., Jr., 682
 Swan, H., 801
 Swank, R. L., 335
 Swell, L., 32

Tandowsky, R. M., 48
 Tedeschi, C. G., 916
 Thomasson, B., 687, 700
 Tulloch, J., 823
 Tuna, N., 853

Uhl, H. S. M., 247
 Varnauskas, E., 687, 700
 Wallace, W. B., 527
 Wallach, J. B., 908

INDEX OF AUTHORS

Abildskov, J. A., 267, 381, 719
 Abrams, W. B., 400
 Ackerman, R. F., 581
 Adams, W. R., 741
 Alcalá, R., 903
 Anderson, R. M., 641
 Angrist, A. A., 908
 Askovitz, S. I., 648

Bahnson, H. T., 494
 Bailey, C. P., 22
 Barreda, P., 903
 Bay, E. B., 741
 Beckner, G. L., 835
 Berglund, E., 706
 Bergström, J., 687, 700
 Bird, G. S., 813
 Bisteni, A., 82
 Blount, S. G., Jr., 801
 Boag, L. M., 813
 Boag, T. J., 813
 Bolton, H. E., 22
 Boyle, A. J., 247
 Bridges, W. C., 416
 Broadbent, J. C., 890
 Brooks, L., 199
 Brown, G. M., 813
 Bucht, H., 687, 700
 Burch, G. E., 267, 381, 719
 Burnum, J. F., 89, 511

Catchpole, B. N., 408
 Chandler, D. E., 247
 Chapman, C. B., 57, 193, 347
 Chesley, G. L., 400
 Cochran, B., Jr., 527
 Cole, D. R., 321
 Cronvich, J. A., 267, 381
 Cullen, C. F., 335

Dailey, R. E., 32
 DeGraff, A. C., 115
 Delahaye, J. D., 813
 Delisle, C., 63, 68
 Dexter, L., 758
 deWolfe, V., 1
 Dimitroff, S. P., 533
 Drury, D. R., 238

Edelman, I. S., 199
 Ek, J., 687, 700
 Eliasch, H., 687, 700
 Elliott, R. V., 281
 Ellis, E. J., 521
 Eurman, G. H., 586

Ferencz, C., 161
 Field, H., Jr., 32
 Finland, M., 292
 Fisher, H., 367
 Flasher, J., 238
 Flick, D. F., 32
 Fox, A. C., 352
 Frank, E., 555, 724
 Fraser, R. S., 57, 193, 347
 Frasher, W. G., 527
 Freeman, N. E., 180
 Freis, E. D., 540
 French, R. M., 571

Gardberg, M., 563
 Gensini, G., 801
 Gifford, R. W., Jr., 363
 Gige, W., 592
 Gilbert, R. P., 847
 Gilfillan, R. S., 180
 Glass, M., 908
 Glover, R. P., 881
 Goldberg, M., 847
 Goldman, I. R., 220
 Goyette, E. M., 17
 Green, D. M., 416, 521
 Green, J. E., 813
 Griffin, J., 847
 Griffith, G. C., 527
 Grusin, H., 860

Halpern, M. H., 547
 Hamilton, B. E., 922
 Hamilton, W. F., 276
 Harken, D. E., 199
 Harris, A. S., 82
 Hatcher, J. D., 813
 Haynes, F. W., 758
 Helm, R. A., 425
 Hick, F. K., 857
 Hickam, J. B., 89, 511
 Hoffpauir, C. W., 82
 Humphries, A. W., 1

Iseri, L. T., 247

Jamison, W. L., 22
 Janes, J. M., 363
 Janton, O. H., 881
 Jepson, R. P., 408
 Jiménez Diaz, C., 903
 Johnson, A. D., 416
 Johnson, A. L., 161
 Johnston, F. D., 255, 868
 Jones, R. J., 741

Katz, L. N., 321
 Kay, C. F., 555, 724
 King, H., 504
 Kleinerman, J., 443
 Kotte, J. H., 425
 Kyrakis, D. T., 281

Lau, F. Y. K., 571
 Leeds, F. H., 180
 LeFevre, F. A., 1
 Lehmann, J. H., 416
 Lilienfield, L. S., 540
 Linenthal, A. J., 96, 482
 Lukash, L., 908
 Lurie, P. R., 504

McClure, W. W., 600
 McCord, M. C., 801
 McDonald, L., 758
 McFee, R., 255, 868
 McGuire, J., 425
 McIntosh, H. D., 89, 511
 Mandelbaum, H., 388
 Mandelbaum, R. A., 388
 Mendlowitz, M., 586
 Meyers, R., 719

Molina, A. F., 903
 Moore, F. D., 199
 Moser, M., 73
 Myers, G. B., 247
 Myrden, J. A., 199

Nerlich, W. E., 527
 Nichols, H. T., 22
 Norman, L. R., 482

Olwin, J. H., 230
 O'Neill, T. J. E., 881
 Overholt, E. L., 17

Packard, R. G., 281
 Page, J., 813
 Page, R. G., 741
 Parkin, T. W., 363
 Partenope, E. A., 540
 Pascale, L. R., 230
 Pettit, G. A., 82
 Phalen, G. S., 1
 Prandoni, A. G., 73
 Pullman, T. N., 600

Raab, W., 592
 Rabinowitz, M., 758
 Rapaport, E., 17
 Redisch, W., 63, 68
 Reilly, W. A., 571
 Richards, D. W., 606
 Rivin, A. U., 533
 Rose, J. C., 540

Sampson, J. J., 38
 Sancetta, S. M., 443
 Sarnoff, S. J., 706
 Saxton, G. A., Jr., 758
 Schild, A., 648
 Schnabel, T. G., Jr., 648
 Scott, J. W., 853
 Scott, K. G., 571
 Seide, M., 741
 Shaw, M. B., 1
 Shore, M. L., 581
 Shumacker, H. B., Jr., 504
 Singian, E. B., 321
 Smith, W. W., 352
 Soloff, L. A., 367
 Sprague, H. B., 127
 Starr, I., 648, 664
 Steele, J. M., 63, 68
 Stephen, J. D., 886
 Stephens, C. A. L., Jr., 682
 Swan, H., 801
 Swank, R. L., 335
 Swell, L., 32

Tandowsky, R. M., 48
 Tedeschi, C. G., 916
 Thomasson, B., 687, 700
 Tulloch, J., 823
 Tuna, N., 853

Uhl, H. S. M., 247

Varnauskas, E., 687, 700

Wallace, W. B., 527
 Wallach, J. B., 908

INDEX OF AUTHORS

ix

Warren, J. V., 511
 Werkö, L., 687, 700
 Wertheimer, L., 63, 68
 White, A. E., 238
 White, C. W., Jr., 916
 White, P. D., 481
 White, W. E., 571

Wiglesworth, F. W., 161
 Wikler, N. S., 352
 Wilson, G. M., 199
 Winsor, T., 835
 Witham, A. C., 276
 Wood, E. H., 890
 Wright, I. S., 748, 823

Young, J. M., 220
 Zatuchni, J., 367
 Ziegler, R. F., 371
 Zilversmit, D. B., 581
 Zipser, A., 38
 Zoll, P. M., 482

INDEX OF SUBJECTS

(Page numbers in italics refer to abstracts)

- Acceleration ballistocardiography**, 281-290, 307, 457
- Accident**, cerebrovascular, electrocardiogram in, 719-723
- Accommodation**, visual, after pentapyrrolidinium in hypertension, 544
- Acetylcholine**, 315
and heart beat, 782
membrane potentials of heart after stimulation of, 315
- Acetyldigoxin**, 147, 148, 623
- Acetylene method**, vs. blood pressure method for determining cardiac output, 668-670, 672-673, 677
- Acid**, in arterial blood in congenital heart disease, 937
- Acidosis**, during anesthesia, 629
- Acridine**, orange of, 947
- Acrosclerosis**, Priscoline for, 75-77
- ACTH**. *See* Corticotropin
- Actinomyces**, pericarditis due to, 439
- Activity**, after myocardial infarction, 329
- Adams - Stokes syndrome**. *See* Stokes-Adams syndrome
- Addison's disease**
electrocardiogram in after cortisone, 309
sodium in after cortisone, 309
- Adenosine triphosphatase**, 142
- Adenosine triphosphate**, 782
- Adhesiveness**
of platelet, 344
of red blood cell, in lipemia, 336-344
- Adrenal gland**
apoplexy, with hypertension, 310
heart involvement by carcinoma of, 225
resection of, for hypertension, 942
- Adrenaline**
in blood, 784
in pheochromocytoma, 942
pulmonary circulation after, 948
for shock, 610
- Adrenocorticotrophic hormone for pericarditis**, 434
- African**, electrocardiogram of, 860-867
- Age (of patient)**
and cerebral circulation, 309
and cerebral vascular reactivity to carbon dioxide, 952
and digitalis dosage, 120
and intermittent claudication of hip, 3
and mitral commissurotomy, 763
and myocardial infarction, 322
and pericarditis
acute, nonspecific, 430
rheumatic, 436
tuberculous, 434
and pulmonary hypertension in atrial septal defect, 802, 808
and serum lipids, 633
in stroke volume determination, 652-655, 660-662
- Agensis**, of lung, 618
- Aggregation**
of chylomicra, 342
of red blood cell in lipemia, 336-344
- Air**
residual, in mitral stenosis, 149
venous embolism due to, 153
- Airplane pilot**, electrocardiogram of, transmitted by radio, 136
- Albumin**, as plasma expander for shock, 608
- Alcohol**
and antabuse, 939
during anticoagulant therapy, 743-744
ethyl, cerebral circulation after, 312
and kidney circulation, 146
and liver circulation, 146
and myocardial infarction, 326, 332
- Alkalosis**
hypokalemic, and potassium in nephrectomized rat, 466
respiratory, in electrocardiography, 306
- Allergy**, of skin, to procaine amide, 314
- Aluminum hydroxide**, in rheumatic fever, 626
- American Heart Association, Inc.**
Albert D. Lasker Award, 799
at AMA Annual Meeting, San Francisco, 794-795, 957
American Society for the Study of Arteriosclerosis, 160
639, 799
annual dinner, 319
annual elections, 795-796
annual meetings, 159, 478
schedule, 319
annual report, 639
Chair of Cardiovascular Research, 640
"Congenital Malformations of the Heart," 478
Council on Community Service and Education, 319, 639
Council for High Blood Pressure Research, 479, 639, 798, 959
1953 proceedings, 798, 959
Council on Rheumatic Fever and Congenital Heart Disease, 638, 795, 957
electrocardiographic interpretation course, 160
film series on congenital malformations, 478
Gold Heart Awards, 798
- Heart Fund**, 320
1954 campaign, 158
Lasker Award, 1954, 799
meetings, 640, 800, 960
annual, 159, 319, 478
"The Motion of the Heart," 320
1954 Heart Fund Campaign, 158
postgraduate courses in pediatric cardiology, 479
Scientific Council Section on Clinical Cardiology, 319, 959
program of, 478
Second World Congress of Cardiology and Twenty-seventh Scientific Session, 158, 319-320, 478, 481, 638, 797-798, 957-959
Section on Circulation, 638, 798, 959
Stamford Heart Association Lecture Series, 160
University of Minnesota Symposium, 960
Vermont seminar, 640
- Amine**
adrenergic, in blood, 784
pressor, excretion of, 461
- Amniotic fluid**, embolism due to, 931
- Anaphylaxis**, hypersensitivity due to, 471
- Anastomosis**
in aortoiliac occlusion, 4
carotid-jugular, 949
internal mammary-coronary artery, 629
- Anemia**, and ventricular function curve, 712
- Anesthesia**
acidosis during, 629
arrhythmia during, 787
and cerebral vascular reactivity to carbon dioxide, 952
circulatory effects of, 316
of heart, 151
hemorrhage during, 316
hypotension during, 151
peripheral vascular bed during, 631
- Aneurysm**
aortic
abdominal, 494-502, 630, 631
dissecting, 630, 952
electrothermic coagulation for, 630
fibrogenic material for, 498
ligation of, 498, 630
resection and replacement of, 494-502, 628
saccular, 155, 628
thoracic, 628
wiring of, 498, 630
calcified, 626
cerebral, thrombosis of, 786
dissecting, 630, 952
experimental, 954

- heart, 304
 intracranial, with polycystic kidney, 631
 of popliteal artery, atherosclerotic, 363-366
 of pulmonary artery, 953
 pulmonary arteriovenous, congenital, 936
 of renal artery, 626
 of splenic artery, 626
- Angina pectoris**
 ballistocardiography in, 390-391
 due to effort, 451
 heparin for, 306, 451
 khellin for, 456
 and myocardial infarction, 324-325, 329, 331
 and myocardial metabolism, 456
- Angiocardiography**
 in congenital heart disease, 626, 627
 exposure rate in, 627
- Anoxia**, postarteriolar pulmonary vascular resistance due to, 622
- Antabuse**, electrocardiogram after, 939
- Antibiotic**
 as anticoagulant, 451
 for bacterial endocarditis, 292-297
 for pericarditis, 434, 438
 tuberculous, 17-21, 145
- Anticoagulant**
 alcohol during therapy for, 743-744
 in ambulatory patients, 685, 741-747
 antibiotic as, 451
 aspirin as, 743
 for auricular fibrillation, 756
 for congestive heart failure, 742
 contraindications, 749-750
 Dipaxin, 230-237
 dosage variation, 742-744, 749
 for embolism, 742
 arterial, 630
 recurrent, of cardiac origin, 301
 hemorrhage during, 750
 long-term therapy with, 745, 748-757, 823-833
 and menstrual cycle, 744, 756
 for myocardial infarction, 452, 747
 overswing due to stoppage of, 754
 phenylindanedione, 450
 in private practice, 682-685
 short-term therapy with, 742
 for thromboembolism, 742
 for thrombophlebitis, 753
 Treburon, 450
 vascular fragility after, 154
 warfarin, sodium derivative, 934
 white thromboembolism after, 154
See also Dicumarol; Heparin
- Antistreptolysin-O**, 317
- Aorta**
 abdominal
 aneurysm of, 494-502, 630, 631
 excision of, and replacement by homograft, 494-502
 aneurysm of, 628
 dissecting, 630, 952
 electrothermic coagulation for, 630
 fibrogenic material for, 498
 ligation of, 498
 resection and replacement of, 494-502, 628
 saccular, 155, 628
 wiring of, 498
 coarctation of, 302
 electrocardiography in, 371-379
 endocrine disturbances in, 938
 and pregnancy, 927
 dissection of, and pregnancy, 927
 distensibility of, after death, 674
 homograft in, 788
 overriding, 937
 perforation of, by benign esophageal ulcer, 471
 phospholipid in, in rabbit atheromatosis, 581-584
 pressure pulse in, 945
 stenosis of
 and femoral pulse, 622
 in infancy, 632
 and intermittent claudication of hip, 1-15
 and ventricular function curve, 713
 surgery of, 789
 terminal, thrombosis of, 465
 thoracic
 bridging defect in, 788
 coarctation of, 302
 dicetyl phosphate for graft in, 787
 aneurysm of, 628
 thrombosis of, 465
 thromboendarterectomy for, 790
- Aortic valve**, 24
 bicuspid, 23
 calcification of, 367-370
 insufficiency of, syphilitic, 781
 regurgitation, with mitral stenosis, 764
 phonocardiography, 133
 stenosis of
 arteriosclerotic, 23
 calcareous, 784
 commissurotomy for, 22-31, 781
 congenital, 23
 with mitral stenosis, 26-28, 763-764
 phonocardiography, 133-134
 rheumatic, 22-31
 surgery, 781
- Aortography**
 abdominal, 628
 in arteriosclerotic aortic aneurysm, 495
 in intermittent claudication of hip, 2, 4, 14-15
- Apnea**, right heart pressure in, 311
- Apoplexy**
 adrenal, with hypertension, 310
 cerebral, with coronary thrombosis, 455
- Appetite**, in digitalis intoxication, 124
- Apresoline**
 bladder paralysis after, 148
 circulation after in visceral and peripheral vascular beds, 70, 71
 death due to, 776,
 for hypertension, 141
 hypotension due to, 148
 kidney function after in mitral stenosis, 700-704
See also Hydrallazine; Hydrazinophthalazine
- Arrest**, cardiac. *See* Standstill
- Arrhythmia**
 during anesthesia, 787
 in aortic commissurotomy, 27
 chaotic, 146
 due to digitalis, 117-118, 120-121
 in myocardial infarction, 327
 after norepinephrine for shock following myocardial infarction, 45
 potassium for, 119
 ventricular, and thyroid inhibition, 145
See also Fibrillation; Flutter; Tachycardia
- Arterenol**, for shock, 783
- Arteriography**
 of coronary circulation, 150
 percutaneous, catheter replacement of needle in, 628
- Arteriole**
 circulation in, after sympathectomy for arterial occlusive disease, 634
 pulmonary, resistance in, 780
- Arteriolonephrosclerosis**, bilateral
 adrenal, hemorrhage with, 310
- Arteriosclerosis**
 aortic
 aneurysm due to, 494-502
 stenosis due to, 23
 cerebral
 and vascular reactivity to carbon dioxide, 952
 and circulation, 309
 and intermittent claudication of hip, 14
 Mönckeberg's, 465
 obliterans
 Priscoline for, 77
 sympathectomy for, 787
 obliterative circulation to extremities in, 66
 and pressure gradient in arterial wall, 939
- Arteritis**
 catechin for, 460
 rutin for, 460
 temporal, 155
- Artery**
 blood gases in
 in congenital heart disease, 937
 in normal children, 944
 embolism in
 anticoagulant for, 630
 surgery for, 788
 graft, 152
 infection in obliterative disease of, 630
 infusion into, 613
 for shock, 609
 for shock due to myocardial infarction, 528-529

Artery (Cont'd)

- insufficiency of, and intermittent claudication of hip, 1-15
- neurovascular disease of, Priscoline for, 75-77
- occlusive disease of
 - arteriolar circulation after sympathectomy for, 634
 - Priscoline for, 77-79
 - sympathetic denervation for, 238-246
- peripheral
 - in diabetes, 630, 953
 - Priscoline for disease of, 73-80
- pressure in
 - and extracellular fluid, 312
 - after kidney stimulation, 311
 - in myocardial infarction, 356-358, 360
 - in unanesthetized rat, 620
- pressure gradient in wall of, in arteriosclerosis, 939
- renal, calcified, 626
- secretion from wall of, in regulation of blood pressure, 903-907
- to sinoatrial node, in dog heart, 547-553
- splenic, calcified, 626
- transfusion into, 528-529, 609, 613

See also under name of artery

Arthritis

- hypertrophic, of hip, 5
- rheumatoid, heart in, 316

Aschoff bodies, and rheumatic activity, 766

Ascites, and hepatic arterial ligation, 153

Aspiration, pericardial, 428-429, 431, 436

Aspirin, dicumarol-like effect of, 743

Atheromatosis, aortic phospholipid in, 581-584

Atherosclerosis

- after bile, 146
- of coronary artery in males under age of 46, 304
- estrogenic hormones for, 533-538
- after ferric chloride, 146
- and hypercholesterolemia, 455
- intermittent feeding of cholesterol in, 632
- and mast cell, 466
- and myxedema, 455
- after oophorectomy, 535-538
- of popliteal artery aneurysm, 363-366
- visceral, 773

Atrioventricular node, pacemaker in, 96-104

Atrium

- electrogram, in mitral stenosis, 138
- endocardium of, in congenital mitral stenosis, 167
- effect of initial length on work of, 779
- left
 - pressure in, in mitral stenosis, 619
 - transplantation of left anomalous pulmonary vein to, 954

pressure wave of, with right ventricular hypertrophy, 312

- septal defect of, 618, 790, 937
- closure of, 504-510, 801-811
- polyvinyl sponge plug for, 318
- with pulmonary artery thrombosis, 453
- with transposition of pulmonary vein, 790

See also Auricle

Atrophy, Sudeck's, Priscoline for, 76

Atropine, 855**Auditory nerve**

- after dihydrostreptomycin, 295
- after streptomycin, 295

Aureomycin

- for bacterial endocarditis, 296
- for pericarditis, 434

Auricle

- fibrillation of
 - anticoagulant for, 756
 - due to digitalis, 117, 121-122
 - in hyperthyroidism, 311
 - with mitral stenosis, 304
 - with mitral stenosis in bacterial endocarditis, 908-914
 - and mitral surgery, 767, 768
 - in myocardial infarction, 328, 329
 - quinidine for, 623
- flutter of, 621
- in digitalis intoxication, 122
- heart sounds in, 784
- in myocardial infarction, 329
- involvement of, in myocardial infarction, 135
- left, enlargement of, in endocardial fibroelastosis, 946
- paroxysmal tachycardia of, due to digitalis, 117
- premature systole of, in myocardial infarction, 328
- standstill of, with ventricle standstill in Stokes-Adams attack, 853-855
- tachycardia
 - in childhood, 146
 - paroxysmal, in myocardial infarction, 329
 - thrombus, occlusive, 791

See also Atrium

Auscultation, device for, 625

Autograft

- of subclavian artery for bridging defects in thoracic aorta, 788
- venous, dicetyl phosphate for, 787

Autonomic nervous system, and Valsalva maneuver, 150

recovery after, 515

A-V block, 774

Azotemia, sodium administration in, 118

Bacitracin, for bacterial endocarditis, 295-296

Ballistocardiograph, portable electromagnetic, 388-398

Ballistocardiography

- acceleration, 281-290, 307, 457
- in angina pectoris, 390-391

borderline, 137

deep K stroke pattern, and hypertension, 138

direct, surface effects, 940

displacement, 307

exercise test in, 388-398

in hypertension, 392-394

in myocardial infarction, 391-392

in myocarditis, 393

normal, 137, 307

in peripheral vascular disease, 940

photoelectric, 939

piezoelectric, 939

in rheumatic fever, 400-406

after smoking, 775

velocity, 307

Barrier, blood-brain, effect of dietary fat on, 341-342

Basal metabolic rate, of Eskimo, 818

Base

in arterial blood, in congenital heart disease, 937

intracellular, in heart failure due to beriberi, 252

Benemid, and penicillin, 294

Beriberi

high-output heart failure due to, 247-254

heart disease due to, 616

Bicarbonate

in electrocardiography, 306

in plasma, and electrocardiography, 308

Bile, plasma cholesterol after, 146

Bipolar lead, 773

Biscoumacetate, ethyl, clinical evaluation of, 314

Bishydroxycoumarin, liver function after, 148

Bladder

heart involvement by carcinoma of, 225

paralysis of, after Apresoline, 148

Blast, injury due to, 785

Block

atrioventricular, 774

brachial, hypocapnia and arterial blood pressure after, 93

bundle branch

alternating, 774

in coarctation of aorta, 375-379

electrocardiography in, 136

after exercise, 309

intermittent, 136

left, with infarction, 945

vectorcardiography, 137

conduction, 468

and digitalis, 117

intoxication due to, 121-122

ganglionic, kidney function and blood pressure in, 312

intraventricular, 458

in myocardial infarction, 329

sympathetic, for arterial occlusion, 238-246

vasomotor, and position of lower extremities, 465

ventricular fibrillation during, 144

- Blockade**, adrenergic, with Di-benzylamine, 941
- Blood**
 adrenalin in, 784
 adrenergic amines in, 784
 arterial, gases in
 in congenital heart disease, 937
 in normal children, 944
 and brain barrier, effect of
 dietary fat on, 341-342
 electrolyte in, after running, 836
 noradrenaline in, 784
 oxygen in, determination of, 625
 for shock, 608-609
 sludging of, 343
 transfusion, for shock, 607-608
 velocity of, in retinal capillary, 778
 viscosity of, in lipemia, 342
 volume of
 in congestive heart failure, 576, 578
 determination of, 462, 571-579
 in Eskimo, 818
 and kidney circulation, 944
 in mitral stenosis, 576, 578, 579
 in myocardial infarction, 358, 360
 normal, 621
 in pregnancy, 944
 in ventricular failure, 578-579
See also Circulation; Coagulation; Plasma; Serum
- Blood pressure**
 arterial
 and extracellular fluid, 312
 due to hypocapnia, 89-95
 after kidney stimulation, 311
 in unanesthetized rat, 620
 arterial wall secretion in regulation of, 903-907
 capillary, in hypertension, 459
 during cardiac massage, 944
 and cardiac output, 648-662, 634-679
 in children, 945
 continuous observation of, 149
 and exercise, 193-197
 after healed myocardial infarction, 349, 350
 femoral, and aortic constriction, 622
 in heart
 after arteriovenous fistula, 312
 right, 779
 after Hydergine, 54
 intrinsic, 641-647
 after ischemia in mouse tail, 779
 and kidney function in ganglionic blockade, 312
 in myocardial infarction, 356-360
 in pulmonary artery, 779
 after Dihydroergotamine, 314
 direct measurement of, 621
 after Hydergine, 314
 in mitral stenosis, 150
 and pulmonary arteriolar resistance, 780
 pulmonary capillary, in heart disease, 142
 pulmonary vascular, 143
 after running, 836
 in skin, 180-191
 during tamponade, 426-427
 after vagus stimulation, 903
 venous
 after digoxin, 945
 in myocardial infarction, 356, 359, 360, 850
 after ouabain, 945
 in shock due to myocardial infarction, 850
 after strophanthosid, 945
 during surgery, 152
See also Hypertension; Hypotension
- Blood urea nitrogen**, after mitral valvuloplasty, 213, 215-217
- Blood vessel**
 fragility of, after anticoagulant, 154
 rupture of, due to physical exertion, 155
- Body**, electrolytic model of, 261
- Body weight**
 and digitalis dosage, 119
 and spatial QRS and T vector, 106-107, 111-112
- Bone**
 Priscoline for atrophy of, 76
 vascularization of, in Paget's disease, 154
- Bone marrow**, embolism, fatal, 791
- Book reviews**
 Bellet, S.: Clinical Disorders of the Heart Beat, 636
 Braunstein, J. R.: The Ballistocardiogram: A Dynamic Record of the Heart Beat, 473
 Flynn, J. E. (ed.): Transactions of the Fifth Conference on Blood Clotting and Allied Problems, 472
 Gould, S. E.: Pathology of the Heart, 473
 Katz, L. N. and Stamler, J.: Experimental Atherosclerosis, 636
 Kisch, B. (ed.): Transactions of the American College of Cardiology, Volume II, 474
 Luisada, A. A.: The Heart Beat. Graphic Methods in the Study of the Cardiac Patient, 474
 Scherf, D.: Extrasystoles and Allied Arrhythmias, 792
 Schnitker, M. A.: Congenital Anomalies of the Heart and Great vessels, 472
 Transactions of the Fifth Conference on Blood Clotting and Allied Problems, 472
 Zdansky, E.: Roentgen Diagnosis of the Heart and Great Vessels, 793
- Brachial plexus**, hypocapnia and arterial blood pressure after block of, 93
- Bradycardia**
 due to bronchogenic carcinoma, 312
 due to cardiac glycoside, 85-87
 due to morphine before and after ventricular tachycardia, 84, 87
 after Valsalva maneuver, 518
 in mitral stenosis, 515, 519
- Brain**
 and aging, 309
 apoplexy
 with circulatory insufficiency, 455
 with coronary thrombosis, 455
 and arteriosclerosis, 309
 and blood barrier, effect of dietary fat on, 341-342
 circulation in
 after carbon dioxide inhalation, 950-951
 after corticotropin, 139
 after cortisone, 139
 after epinephrine, 147
 after ethyl alcohol, 312
 in hyperthyroidism, 142
 after l-epinephrine, 147
 after l-norepinephrine, 147
 after Priscoline, 147
 hemorrhage into, 470
 after Hydergine, 54, 55
 and hypertension, 309
 metabolism in, in pulmonary emphysema, 946
 oxygen consumption in, in hyperthyroidism, 142
 stroke, 470
 thrombosis, 470
 vascular reactivity of, to carbon dioxide, 952
- Bronchus**, bradycardia and syncope due to, 312
- Bundle branch block**
 alternating, 774
 in coarctation of aorta, 375-379
 electrocardiography in, 136
 after exercise, 309
 intermittent, 136
 left, with infarction, 945
 vectorcardiography in, 137
- Bundle of Kent**, auriculoventricular conduction over, 622
- Bursitis**, of hip, 5
- Cadaver**, lead fields in, 261
- Calcification**
 aortic, in aortoiliac occlusion, 4
 with diffuse phlebosclerosis, 144
 within heart, 367-370
 mitral, and mitral surgery, 767
- Calcium**, in digitalis intoxication, 119
- Calcium chloride**, for poor contractility of heart, 768
- Calorimetry**, gradient, for measuring skin circulation, 408-414
- Capillary**
 blood pressure in, in hypertension, 459
 fragility of, in skin, 953
 pressure in, 181
 pulmonary, in heart disease, 142
 retinal, blood velocity in, 778
- Carbohydrate**, metabolism of, in heart, 956
- Carbomycin**, for bacterial endocarditis, 297

- Carbon dioxide**
arterial blood pressure due to deficiency of, 89
breathing of, and sodium excretion, 696
cerebral circulation after inhalation of, 950-951, 952
and heart contractile force, 141
in plasma, and electrocardiography, 308
- Carbonic anhydrase inhibitor**, 783
- Carcinoma**
bronchogenic
bradycardia and syncope due to, 312
cardiac output after, 312
endothelial, 438
heart involvement by, 220-228
- Cardiac index**, in myocardial infarction, 355-356, 848
- Cardiac output**
after arteriovenous fistula, 312
and exercise, 57-61
after healed myocardial infarction, 348, 350
measurement of, 59-61
in myocardial infarction, 359-361
and nursing position, 313
in osteitis deformans, 943
after Valsalva maneuver, 511-519
- Cardiopericardioplexy**, for coronary artery disease, 305, 628
- Cardiorrhaphy**, and pericardiectomy for heart wound, 788
- Cardio-tachograph**, 156
- Cardiovascular disease**, cinefluorography, 149
- Cardiovascular system**
adaptation of, to prolonged physical effort, 835-845
in beriberi, 616
function of, after exercise in healed myocardial infarction, 347-351
- Carditis**, rheumatic
ballistocardiogram, 400-406
in children, 149
- Carotid sinus**
hypersensitivity, 469
in digitalis intoxication, 125
pressure on
cardiovascular effects due to, 96-104
in chaotic heart rhythm, 146
paradoxical response to, 146
paroxysmal ventricular standstill due to, 857-859
- Castration**, female, atherosclerosis after, 535-538
- Catechin**, for arteritis, 460
- Catechol**, urinary excretion of, 592-598
- Catheterization**, cardiac, 628
accidents in, 143
fatality after, 634
pyrogen-like complication of, 471
subendocardial trauma due to, 471
- Cation exchange resin**
for congestive heart failure, 454
for edema, 453, 454
and sodium conservation, 32-37
- Causalgia**
Dibenzylamine for, 76
hexamethonium for, 76
Priscoline for, 76
- Cedilanid**
first heart sound after, 315
operative course after, 147
- Cell**, osmolarity of, in heart failure due to beriberi, 252-253
- Celothelloma**, 438
- Cerebral artery**, thrombosis of
aneurysm of, 786
- Cerebrovascular system**, electrocardiogram after accident to, 719-723
- Cerebrum**
and aging, 309
apoplexy
with circulatory insufficiency, 455
with coronary thrombosis, 455
and arteriosclerosis, 309
circulation in
after carbon dioxide inhalation, 950-951
after corticotropin, 139
after cortisone, 139
after epinephrine, 147
after ethyl alcohol, 312
in hyperthyroidism, 142
after l-epinephrine, 147
after l-norepinephrine, 147
after Priscoline, 147
hemorrhage into, 470
and hypertension, 309
metabolism in, in pulmonary emphysema, 946
oxygen consumption in, in hyperthyroidism, 142
stroke, 470
thrombosis, 470
vascular reactivity of, to carbon dioxide, 952
- Cheek pouch**, hamster
after anticoagulant, 154
circulation in, 336
in lipemia, 336-339
- Chemotherapy**, for pericarditis, 434, 438
tuberculous, 17-21, 145
- Chest**
circumference of, and spatial QRS and T vector, 108
lead field on surface of, 258
- Child**
auricular tachycardia in, 146
blood pressure in, 945
idiopathic myocarditis in, 946
normal
acid-base balance in, 944
arterial blood gases in, 944
rheumatic carditis in
corticotropin for, 149
cortisone for, 149
See also Infant; Newborn
- Chloramphenicol**, for bacterial endocarditis, 296, 617
- Chloride**
in blood, after running, 836
metabolism of, after mitral valvuloplasty, 213, 215-217
in plasma, and electrocardiography, 308
in serum, bedside test for, 635
- Chloromycetin**, for bacterial endocarditis, 296
- Chlortetracycline**, for bacterial endocarditis, 296
- Cholecystopathy**, electrocardiography during, 136
- Cholesterol**
dietary, in aortic phospholipid, 582-584
intermittent feeding of, in atherosclerosis, 632
in pericardial fluid, 439
in plasma, after bile, 146
in serum
in coronary artery disease, 139
in diabetes, 139
in hypertension, 139
- Cholinesterase**, for shock, 613
due to myocardial infarction, 531
- Chromium**, radioactive, red blood cell tagged with, in determining blood volume, 571-579
- Chylomicron**, 342
- Chylopericardium**, 439
- Cigarette**, peripheral vascular system after, 955
See also Smoking
- Cinefluorography**, cardiovascular, 149
- Circulation**
during anesthesia, 316
arterial, to sinoatrial node in dog, 547-553
arteriolar, after sympathectomy for arterial occlusive disease, 634
cerebral
and aging, 309
and arteriosclerosis, 309
after carbon dioxide inhalation, 950-951
in chronic pulmonary disease, 946
after corticotropin, 139
after cortisone, 139
after epinephrine, 147
after ethyl alcohol, 312
and hypertension, 309
in hyperthyroidism, 142
after l-epinephrine, 147
after l-norepinephrine, 147
after Priscoline, 147
in cold acclimatization, 813-821
coronary, 150
and heart hypertrophy, 393
and ventricular function curve, 712
digital
after hexamethonium, 590
after hydrallazine, 590
after sodium depletion, 586-590
and digitoxin, 144
to extremities
in arteriosclerosis, 66
and kidney, 63-66
after venous compression, 952
failure of, in accidental death, 462
in hamster's cheek pouch, 336

- after dextran injection, 339-342
 after gelatin injection, 339
 in lipemia, 336-339
 after hemorrhage during anesthesia, 316
 after hydrazinophthalazine, 778
 after hypotensive drugs in hypertension, 70-71
 insufficiency of, with cerebral apoplexy, 455
 intestinal, curarization, 621
 kidney
 after alcohol, 146
 after Apresoline in mitral stenosis, 700-704
 and circulating blood volume, 944
 after constant-speed infusion of norepinephrine, 600-604
 in dog, 146
 after exercise in mitral stenosis, 687-698
 and extremities, 63-66
 and hexamethonium, 777, 943
 and hypoxia, 142
 in lipemia, alimentary, 335-344
 liver
 after alcohol, 146
 in dog, 146
 in mitral stenosis, congenital, 174-175
 in myocardial infarction, acute, 847-851
 in Osler's disease, 145
 peripheral
 in Eskimo, 815-821
 in osteitis deformans, 952
 after pneumoperitoneum, 785
 during pregnancy, 930-932
 pulmonary
 after adrenaline, 948
 in congenital heart disease, 303
 in mitral stenosis, 628
 in mitral stenosis, after oxygen breathing, 944
 after noradrenaline, 948
 regulation of, 313, 948
 in pulsus alternans, 946
 radiopotassium in, 784
 in rheumatic heart disease, 626
 in skin
 heat flow measurement of, 408-414
 after Hydergine, 411, 413-414
 after P-9295, 411-412, 414
 after Priscoline, 75, 409-410, 412-414
 after Regitine, 410-411, 413
 after Tolazoline, 409-410, 412-414
 after Valsalva maneuver, 150, 511-519
Circulation time
 determination of
 with Decholin, 315
 with fluorescein, 315
 by lobelin, 624
 by oxymetry, 784
 after exercise, 57-61
 after healed myocardial infarction, 348
Claudication
 in diabetes mellitus, 630
 intermittent, of hip, 1-15
Climate, and myocardial infarction, 305
Coagulation
 and alimentary lipemia, 934
 electrothermic for aortic aneurysm, 630
 during first week of life, 618
 and high fat diet, 344
 after myocardial infarction, 301
 prevention of. *See* Anticoagulant.
See also Prothrombin
Coagulation time
 determination of, 451
 and dietary cream, 451
Coarctation
 aortic
 electrocardiography in, 371-379
 endocrine disturbances in, 938
 and pregnancy, 927
 thoracic, 302
Cocciidioides, pericarditis, 439
Cold, circulation in acclimatization to, 813-821
See also Hypothermia
Cold injury
 plasma lipoprotein after, 632
 Priscoline for, 76
Colon, as sodium-conserving organ, 32-37
Commissurotomy
 aortic, 22-31, 781
 case histories, 789
 mitral, 628, 788, 938, 950
 with calcific emboli, 463
 medical aspects of, 758-769
 recurrence, 150
 selection of patients for, 628
Compression, manual, of canine heart, 916-920
Conduction, auriculoventricular over bundle of Kent, 622
 concealed, 774
Conjunctiva, bulbar, peripheral vascular bed in, 626
Constipation, after pentapyrrolidinium in hypertension, 544, 545
Contracture, Volkmann's, thrombectomy in, 317
Contrast media, 787
Cooling. *See* Hypothermia
Cor pulmonale, digitalis for, 125
Coronary artery
 anastomosis of, with internal mammary artery, 629
 atherosclerosis of, in males under age of 46, 304
 circulation in, 150
 and heart hypertrophy, 393
 and ventricular function curve, 712
 disease of
 in battle casualties in Korea, 773
 cardiopericardioplexy for, 305, 628
 cholesterol in, 139
 cholesterol-lipid phosphorus ratio, 139
 heparin clearing of alimentary lipemia in, 938
 S₁ 12-20 lipoproteins in, 139
 origin of, from aorta and pulmonary artery, 935
 pulsation of, roentgenkymography of, 626
 sclerosis of, in castrated females, 535-538
 thrombosis
 anticoagulant for, 741-742
 with cerebral apoplexy, 455
Corticotropin
 and cerebral circulation, 139
 in mitral surgery, 767
 for pericarditis, 434
 for rheumatic carditis in children, 149
Cortisone
 in Addison's disease after sodium, 309
 and cerebral circulation, 139
 in mitral surgery, 767
 for rheumatic carditis in children, 149
 for rheumatic fever, 316
 for shock, 613
 due to myocardial infarction, 531
 for shoulder-hand syndrome, after myocardial infarction, 135
Countershock, 916-920
Cranium, aneurysm in, with polycystic kidney, 631
Cream, dietary, and blood coagulation, 451
Cuff, in blood pressure estimation, in children, 945
Cumertillin, 947
Curarization, intestinal circulation in, 621
Cyclopropane, 787
 hypotension after, 622
Deafness
 due to dihydrostreptomycin, 295
 due to streptomycin, 295
Death, accidental, circulatory failure in, 462
Decholin, in determination of circulation time, 315
Decompensation, hazards in treatment of, 772
Decortication
 of heart, 464
 of lung, 318
Defibrillation, electrical, of canine heart, 916-920
Dehydration, plasma sodium as measure of, 955-956
Delirium, secondary, after thiocyanate for hypertension, 310
Dephosphorylation, adenosine triphosphate, 782
Depolarization of heart, vs. repolarization, 267-274
Dermatitis, exfoliative, fatal peripheral vascular failure in, 632
Dextran
 circulation after injection of, 339
 as plasma expander, 608
 as replacement fluid in hemorrhage, 469
Diabetes mellitus
 cholesterol in, 139
 cholesterol-lipid phosphorus ratio, 139

- Diabetes mellitus** (*Cont'd*)
 and myocardial infarction, 324, 331
 and peripheral arterial disease, 630, 953
 serum polysaccharide in, 466
 S₁ 12-20 lipoprotein in, 139
- Diarrhea**
 in digitalis intoxication, 125
 epidemic, of newborn, and kidney thrombosis, 154
- Dibenamine**, hypotension due to, 611
- Dibenzylamine**
 for post-traumatic causalgia, 76
 for Raynaud's disease, 75
 for thromboangiitis obliterans, 78
- Dibucaine**
 vomiting due to, 86
 for ventricular tachycardia due to K-strophanthoside, 82-88
- Dicetyl phosphate**, for venous autograft, 787
- Dicumarol**
 ambulatory, 742-747
 vs. Dipaxin, 234-236
 dosage variation, 742-744, 749
 hemorrhage due to, 745-746
 vs. heparin, 617
 liver function after, 148
 long term therapy with, 745, 825-833
 and menstrual cycle, 744
 for myocardial infarction, 743
 variation, 742-744, 749
- Dicurin procaine**, 146
- Diet**
 in mitral surgery, 767, 768
 potassium-deficient, in hypertension, 777
- Digilanid**, urticaria due to, 303
- Digit**, circulation in, 586-590
- Digitalis**
 acetyldigoxin, 623
 dosage, 124
 Eggleston dosage method, 119
 first heart sound after, 315
 and gynecomastia, 624
 intoxication due to, 115-126
 in mitral surgery, 767, 768
 operative course after, 147
 and potassium in auricular tachycardia with block, 621
 urticaria due to, 303
- Digitoxin**
 acetyl, 147
 acetyl α , 148
 and circulation, 144
 dosage, 117
 intracellular, 624
 urticaria due to, 303
- Digoxin**
 in mitral surgery, 767
 systemic venous pressure after, 945
 urticaria due to, 303
- Dihydrazinophthalazine**, hypotension due to, 148
- Dihydroergotamine**, pulmonary arterial pressure after, 314
- Dihydrostreptomycin**, for bacterial endocarditis, 295
- Dilatol**, 947
- Dilator**, aortic, 24-25
- Dilution curve**, in acyanotic congestive heart disease, 890-901
- Dipaxin**, 230-237
- Diphenylamine**, serum reaction to, in rheumatic fever, 949
- Dipole**, electrocardiographic, 458
- Disc**
 calorimetry, for measuring skin circulation, 408-414
 intervertebral, protruded, 5
- Displacement**, electrocardiographic, 307
- Diuretic**
 in digitalis intoxication, 122
 evaluation of, 634
 mercurial, 146
 for congestive heart failure, 454
 Cumertilin, 947
 Mercumatin, 947
 in mitral surgery, 767, 768
 neohydrin, 947
 thiamine excretion after, 454
 water as, 467
- Dog**
 arterial supply to sinoatrial node of, 547-553
 cardiovascular lesion after bilateral nephrectomy in, 470
 fibrillation, countershock, and manual compression of heart of, 916-921
 pantothenic acid in kidney hypertension of, 309
 Starling's law of the heart, 706-716
 vagal stimulation in, 945
- Ductus arteriosus**
 fetal, and coarctation of aorta, 374-376
 patent
 and agenesis of lung, 618
 and pregnancy, 926
- Dye dilution curve**, in acyanotic congestive heart disease, 890-901
- Dyspnea**
 and mitral valvular disease, 467
 in myocardial infarction, 329
 in pericarditis, 426, 430
- Eccentricity of heart**, and vectorcardiography, 137-138
- Echinococcus**, pericarditis due to, 439
- Edema**, cation exchange resin for, 453, 454
- Effort**, prolonged, cardiovascular adaptation to, 835-845
- Effort angina**, heparin for, 451
- Effusion**
 pericardial, 426
 paracentesis, 428-429, 431, 436
 roentgenologic differentiation from heart enlargement, 427, 431-432
- Eggleston dosage method** for digitalis, 119
- Eighth nerve**
 after dihydrostreptomycin, 295
 after streptomycin, 295
- Einthoven triangle**, 256, 262, 263
- Eisenmenger's complex**, physiology of, 302
- Electric shock therapy**, 635
- Electrocardiogram**
 in Addison's disease after cortisone, 309
 of African, 860-867
 in cerebrovascular accidents, 719-723
 after cooling, 939
 daily variations of, 307
 frontal-plane, accuracy of, 724-735
 after hypoxia, 939
 and mitral insufficiency, 941
 after potassium, 939
 precordial, in child, 940
 time intervals in, 158
 unipolar, in sportsmen, 458
 ventricular esophageal, 775
- Electrocardiography**
 in atrial septal defect, 811
 bicarbonate in, 306
 in plasma, 308
 in bundle-branch block
 anatomic-pathologic study of, 136
 intermittent, 136
 and carbon dioxide in plasma, 308
 chloride in, 308
 in coarctation of aorta, 371-379
 in digitalis intoxication, 121
 dipole concept, 458
 fetal, 773
 during gall bladder disease, 136
 glucose in, 306
 hyperkalemia in, 306
 in hypertension, after methonium compounds, 137
 lead field in, 255-265
 mirror pattern cancellation, 306
 in myocardial infarction, 327, 333
 in pericarditis, 428, 432, 436, 437, 438
 and pH of plasma, 308
 potassium in, 306
 in plasma, 308
 radio transmission of, 136
 respiratory alkalosis in, 306
 after running, 837-845
 in septal infarction, 459
 sodium in, 306
 in plasma, 308
 spatial, after exertion, 307
 in tumor metabolism to heart, 223-224, 226
 during vagal stimulation, 776
 in ventricular tachycardia, paroxysmal, 135
- Electrode**, indifferent, 257, 262
- Electrogram**, atrial, in mitral stenosis, 138
- Electrolyte**
 in aged persons, 469
 in blood, after running, 836
 excretion of
 after arteriovenous fistula, 156
 and hypoxia, 142

- metabolism of, during rice diet, 156
 after mitral surgery, 768, 769
Elephant, heart rate of, 309
Embolectomy, arterial, 788
Embolism
 amniotic, 931
 arterial, anticoagulant for, 630
 bone marrow, fatal, 791
 fat, 163
 gas, vasodilatation due to, 951
 paradoxical, 471
 Priscoline for, 78
 pulmonary
 during anticoagulant therapy, 141
 in congestive heart failure, 447-449
 elastic stockings for prevention of, 791
 and myocardial infarction, 325, 332
 and pulmonary infarction, 153
 after trauma, 154
 recurrent, of cardiac origin, 301
 venous air, body position in therapy for, 153
 white, after anticoagulant, 154
Embolus
 calicific, complicating mitral commissurotomy, 463
 to renal artery, 756
Emotion, and prothrombin time, 744
Emphysema, pulmonary, cerebral metabolism in, 946
Employment, of older cardiac patient, 633
Endarterectomy, for aortoiliac thrombosis, 6
Endoaneurysmorrhaphy, 498
Endocarditis, bacterial
 acute, with *Streptobacillus moniliformis* infection, 934
 auricular fibrillation and mitral stenosis in, 908-914
 bacitracin for, 295-296
 commissurotomy in presence of, 24
 and pregnancy, 928
 treatment of, 292-299, 617
 subacute
 chloramphenicol for, 617
 with hematologic abnormalities, 934
 with mitral stenosis, 766
 oxytetracycline for, 617
 with pancytopenia, 934
 and streptococci in mouth, 300
 treatment of, 617
Endocardium
 atrial, in congenital mitral stenosis, 167
 fibroelastosis of, with left auricular enlargement, 946
 fibrosis of diagnosis, 469
 tumor metastasis to, 226
Endomyocarditis, 176
Ephedrine, in digitalis intoxication, 125
Epinephrine
 calorigenic response to, 821
 catechol excretion after infusion of, 596, 597, 598
 cerebral circulation after, 147
 in digitalis intoxication, 125
 for poor contractility of heart, 768
 for shock due to myocardial infarction, 530
 and ventricular function curve, 712
Ergot alkaloid, hydrogenated, for arterial hypertension, 48-56
 See also Hydergine
Erythrocyte. *See* Red blood cell
Erythromycin, for bacterial endocarditis, 297
Eskimo, cold acclimatization in, 815-821
Esophagus
 carcinoma of, heart involvement by, 225, 227
 ulcer of, perforation of aorta due to, 471
Estinyl, for atherosclerosis, 534
Estrogen, for atherosclerosis, 533-538
Ether, 787
Ethyl alcohol
 cerebral circulation after, 312
 and kidney circulation, 146
 and liver circulation, 146
Ethylene-diamine-tetracetate, 948
Ethyl iodide method, vs. blood pressure method for determining cardiac output, 670-671, 673
Evans blue dye, in determination of blood volume, 462
Exchange resin, cation
 for congestive heart failure, 454
 for edema, 453, 454
 and sodium conservation, 32-37
Exercise
 and blood pressure, 193-197
 and cardiovascular function, 57-61, 193-197, 347-351
 cerebral circulation after, in pulmonary emphysema, 946
 electrocardiogram of bundle branch block after, 309
 kidney function after, in mitral stenosis, 687-698
 and pulse rate, 193-197
Exercise test
 in ballistocardiography, 388-398
 tolerance, in mitral stenosis, 620
Exertion, spatial electrocardiography after, 307
Extracellular fluid
 and arterial pressure, 312
 volume of
 in hypertension, 141
 radiansulfate determination of, 151
Extremity
 circulation to
 in arteriosclerosis, 66
 after hypotensive drugs in hypertension, 70-71
 and kidney blood flow, 63-66
 after venous compression, 952
 lower
 acute massive venous occlusion of, 632
 position of, during vasomotor block, 465
 urokon in venography of, 155
 See also Foot; Leg
Eyeground, maternal, and infant mortality, 929
Fainting, due to bronchogenic carcinoma, 312
Farm work, energy studies of, 478
Fat
 dietary
 and blood coagulability, 344, 451
 in mitral sclerosis, 335, 343, 344
 embolism, 153
Feces
 potassium excretion in, 35
 sodium excretion in, 35
Female, hyperestrogenism in, and severity of atherosclerosis, 535-538
Ferric chloride, plasma cholesterol after, 146
Ferritin, 610-611
Fetus
 ductus arteriosus in, and coarctation of aorta, 374-376
 electrocardiography of, 773
 endomyocarditis, 176
 with two heads and hearts, 452
Fever, in pericarditis, 430
Fibrillation
 auricular
 anticoagulant for, 756
 due to digitalis, 117, 121-122
 in hyperthyroidism, 311
 with mitral stenosis, 304
 with mitral stenosis in bacterial endocarditis, 908-914
 and mitral surgery, 767, 768
 in myocardial infarction, 328, 329
 quinidine for, 623
 of canine heart, 916-920
 mechanism of, 143
 ventricular
 Adams-Stokes syndrome due to, 144
 in aortic commissurotomy, 27
 quinidine sulfate for, 144
 transient, 144
Fibroelastosis, endocardial, left auricular enlargement in, 946
Fibrosis, endocardial, diagnosis of, 469
Fibrositis, of hip, 5
Fick method, vs. blood pressure method for determining cardiac output, 665-668, 672-679
Filtration rate, in shock after myocardial infection, 42
Finger, circulation in
 after hexamethonium, 590
 after hydrallazine, 590
 after sodium depletion, 586-590
Fingertip, ulcer of, in Raynaud's disease, 75
Fistula
 aortopulmonic, 935
 distal, 935
 arteriovenous
 electrolyte excretion after, 156
 infected, 155

- Fistula** (*Cont'd*)
 intracardiac pressure after, 312
 kidney hemodynamics after, 156
 in lung, 155
Flint murmur, 783
Fluid
 in aged persons, 469
 of body
 and hydrazinophthalazine, 462
 and myocardial infarction, 326, 332
 cutaneous interstitial, 948
 extracellular
 radiosulfate determination of volume of, 151
 volume of, in hypertension, 141
Fluid mapper, 257
Fluorescein, in determination of circulation time, 315
Fluoroscopy, in calcification, 367
Flutter
 auricular, 621
 in digitalis intoxication, 122
 heart sounds in, 784
 in myocardial infarction, 329
 mechanism of, 143
Foot
 circulation to, in arteriosclerosis, 66
 elevation of for estimation of skin blood pressure, 180-191
 and intermittent claudication of hip, 3
 necrotic lesion of, 184-191
 See also Extremity, lower
Foramen, interatrial, prenatal closure of, 303
Freezing. *See* Hypothermia
Friction rub, pericardial, 426, 430, 435, 437
Frostbite, heparin for, 618
Fungus, pericarditis due to, 439
Gall bladder, electrocardiography during disease of, 136
Gallop rhythm, and myocardial infarction, 325
Ganglion
 autonomic, of kidney, 311
 blockade of, kidney function and blood pressure in, 312
Gangrene, 78
 after intra-arterial transfusion, 468
Gas
 in arterial blood
 in congenital heart disease, 937
 in normal children, 944
 embolism, vasodilatation due to, 951
Gastrointestinal tract, effect of digitalis on, 123
Gelatin
 circulation after injection of, 339
 as plasma expander, 469, 609
Geriatrics
 and electrolyte regulation, 469
 and fluid regulation, 469
Gitalin, 125, 774
Glomerular filtration rate, 42
 after constant-speed infusion of norepinephrine, 602
Glomerulonephritis, acute, 157
Glucose
 in electrocardiography, 396
 output of, after hexamethonium, 943
Glutamic acid, oxidation of, by rat heart, 623
Glycoside
 bradycardia due to, 85-87
 dibucaine for toxic effects of, 86-87
 intoxication due to, 115-126
 urticaria due to, 303
Gradient, ventricular, spatial vectorcardiogram of, 267-274
Graft
 for aortoiliac thrombosis, 6
 arterial, 152
 for resection of aneurysm of thoracic aorta, 628
 vascular, 788
 venous, dicetyl phosphate for, 787
Granuloma, rheumatic, 949
Gravitational syndrome, popliteal ligation for, 151
G sÊ-loop, 270-274
Guinea pig, vagal stimulation in, 945
Gynecomastia, during digitalis therapy, 624
Hamilton's dye method, vs. blood pressure method for determining cardiac output, 667
Hamster, cheek pouch of
 circulation in, and lipemia, 336-339
 thromboembolism in, 154
Hand, circulation to, in arteriosclerosis, 66
Head, two, in fetus, 452
Headache
 after Hydergine, 54, 55
 and hypertension, 778
 thiocyanate for, 459
Heart
 aging, 470
 anaphylactic lesion of, 471
 anesthesia of, 151
 arrest. *See* Standstill
 axis of, after running, 843
 beat, and acetylcholine, 782
 calcification within, 367-370
 carbohydrate metabolism of, 956
 catheterization of
 fatality after, 634
 pyrogen-like complications of, 471
 subendocardial trauma due to, 471
 congenital malformation of, film series on, 478
 contractile force of, and carbon dioxide, 141
 contrast media for, 787
 decortication of, 464
 eccentric, vectorcardiography, 137-138
 electric potential of, 315, 563-570
 difference in, 458
 electrical field of, on thorax, 308
 electrical position of, and spatial QRS and T vector, 108
 embolism originating in, anticoagulant for, 301
 energetic dynamic insufficiency of, 142
 enlargement of
 and coronary circulation, 395
 in hypertension, 776
 roentgenologic differentiation from pericardial effusion 427, 431-432
 simulated by mediastinal lipoma, 634
 external electric stimulation of in Adams-Stokes disease, 482-492
 function, in exercise after healed myocardial infarction, 347-351
 glutamic acid oxidation by, 623
 healing of wounds of, 463, 788
 hormone effect on, 776
 impulse formation in, after carotid sinus pressure, 96-104
 isolated, in failure, 772
 lesions of, in acute articular rheumatism, 949
 mammalian, after vagal stimulation, 945
 massage of, blood pressure during, 944
 membrane potentials of, 315
 output. *See* Cardiac output
 pain in, after Priscoline, 148
 polarization of, 267-274
 pressure in, after arteriovenous fistula, 312
 rate
 and cardiac size, 308-309
 direct recording of, 156
 and Q-T interval, 457
 of whale, 309
 resuscitation of, 947
 in rheumatoid arthritis, 316
 right
 normal pressure in, 311, 779
 size of
 and cardiac rate, 308-309
 in runners, 843-844
 after surgery for atrial septal defect, 811
 standstill. *See* Standstill
 Starling's law of, 706-716
 tamponade, 426-427
 tumor metastasis to, 220-228
 two, in fetus, 452
 volume of, in right failure, 691
 wound
 healing of, 463
 pericardiotomy and cardiorrhaphy for, 788
Heart disease
 due to beriberi, 616
 cardiac output in, 142
 congenital
 acid-base balance in, 937
 cyanotic, indicator-dilution curves in, 890-901

- angiocardiology in, 626, 627
arterial blood gases in, 937
familial incidence of, 771
pulmonary circulation in, 303
rib notching after surgery for, 619
and eclampsia, 930
in New England, 467
and pre-eclampsia, 930
pulmonary capillary pressure in, 142
rheumatic
case history, 755
and chronic constrictive pericarditis, 151
circulation in, 626
after cortisone for rheumatic fever, 316
mitral valve in, 786
in pregnancy, 922-926
ventilatory changes in, 626
sodium excretion in, 695-696
- Heart failure**
congestive
anticoagulant for, 742
due to beriberi, 247-254
blood volume in, 576, 578
case history, 443-449
cation exchange resin for, 454
due to digitoxin, 117
erythrocyte sedimentation, in, 454
hazards in treatment of, 772
intrinsic blood pressure in, 643-644, 646
with mitral stenosis, 304
myocardial infarction in, 122, 325, 329, 331, 333
pulmonary embolization in, 447-449
sodium retention in, 454
thiamine excretion after mercurials in, 454
urinary catechol excretion in, 596, 597, 598
ventricular premature contraction in, 123
vitamin B₁₂ for, 450
energy metabolism in, 772
high output, due to beriberi, 247-254
right, and kidney function, 691
ventricle in, 772
and ventricular function curve, 714
- Heart-lung machine, 780**
- Heart sound**
in atrial septal defect, 811
in auricular flutter, 784
first
after Cedilanid, 315
after Hydergine, 315
in pericarditis, 426, 431
phonocardiography, 127-134
precordial, 948
See also Murmur
- Heat flow technic, for measuring skin circulation, 408-414**
- Height, and spatial QRS and T vector, 107**
- Hemiplegia**
and Hydergine, 54, 55
due to pheochromocytoma, 777
- Hemopericardium**
and constrictive pericarditis, 464
with tamponade, 618
- Hemorrhage**
after anticoagulant long-term, 828-829
in private practice, 684
bilateral adrenal, with arteriolonephrosclerosis, 310
- cerebral**
electrocardiogram in, 719-723
rehabilitation after, 470
circulatory effects of, during anesthesia, 316
due to Dicumarol, 745
due to Dipaxin, 235
pulmonary embolism after, 154
replacement fluid in, 469
shock due to, intra-arterial vs. intravenous transfusion in, 468
subarachnoid, electrocardiogram in, 722
thromboembolism during therapy with, 750
vitamin C for, 754
- Heparin, 741**
for angina
of effort, 451
pectoris, 306, 451
vs. Dicumarol, 617
for frostbite, 618
indication for, 752
phospholipid synthesis after, 452
repository, and lipoprotein patterns, 935
- Hepatic artery, ligation of, and ascites, 153**
- Hepatomegaly, after exposure to cold, 820**
- Herpes, Priscoline for neuralgia after, 76**
- Hexamethonium**
bitartrate, for hypertension, 137
bromide, for hypertension, 137
for causalgia, post-traumatic, 76
circulation after, in visceral and peripheral vascular beds, 70
death due to, 776
digital circulation after, 590
glucose output after, 943
for hypertension, 137, 460, 461, 521-526, 777
electrocardiography, 137
vs. pentapyrrolidinium, 541-546
and the kidney, 310, 777, 943
oxygen consumption after, 943
in plasma, 460
for Raynaud's disease, 75
salts of
absorption of, 310
excretion of, 310
splanchnic circulation after, 943
for thromboangiitis obliterans, 78
- Hip**
hypertrophic arthritis of, 5
intermittent claudication of, 1-15
pain in, 5
- Hippel-Lindau disease, and pheochromocytoma, 140**
- Hodgkin's disease, heart involvement by, 225, 227**
- Homograft, aortic, 788**
for aneurysm, 494-502
- Hormone**
estrogenic, for atherosclerosis, 533-538
effect on heart, 776
and sodium excretion, 697
- Hydergine**
for arterial hypertension, 48-56
circulation after, in visceral and peripheral vascular beds, 70
first heart sound after, 315
pulmonary arterial pressure after, 314
in pulmonary hypertension, 311
skin circulation after, 411, 413-414
- Hydralazine**
digital circulation after, 590
for hypertension, 139, 141
psychosis after, 943
See also Apresoline; Hydrazinophthalazine
- Hydrazinophthalazine**
in body fluids, 462
cardiohemodynamics after, 778
death due to, 776
for hypertension, 141, 461
hypotension due to, 148
See also Apresoline; Hydralazine
- Hypercapnea, and postanesthetic hypotension, 622**
- Hypercholesteremia, 470**
and atherosclerosis, 455
- Hyperemia, reactive, for estimation of skin blood pressure, 180-191**
- Hyperestrogenism**
in female, and severity of atherosclerosis, 535-538
in male, and severity of atherosclerosis, 534-535
- Hyperkalemia, in electrocardiography, 306**
- Hyperplasia, in cardiovascular beriberi, 616**
- Hypersensitivity**
anaphylactic, 471
catechin for arteritis due to, 460
rutin for arteritis due to, 460
- Hypertension**
with adrenal apoplexy, 310
adrenal resection for, 942
Apresoline for, 141, 461
arterial
in American Indians, 461
after Hydergine, 48-56
pressure in, after expansion of extracellular fluid volume, 312
urinary catechol excretion in, 594
ballistocardiography in, 392-394
capillary blood pressure in, 459
catechin for arteritis due to, 460
cholesterol in, 139

Hypertension (Cont'd)

- cholesterol-lipid phosphorus ratio, 139
 - as contraindication for anticoagulant, 750
 - and deep K stroke pattern, 138
 - delirious reactions secondary to thiocyanate for, 310
 - essential
 - and pregnancy, 928-930
 - salt exchange in, 416-422
 - sodium depletion in, 942
 - splanchnicectomy for, 942
 - experimental, 943
 - extracellular fluid volume in, 141
 - and headache, 778
 - heart hypertrophy in, 776
 - hexamethonium for, 137, 460, 461, 521-526, 777
 - electrocardiography, 137
 - vs. pentapyrrolidinium, 541-546
 - hydralazine for, 139, 141
 - psychosis after, 943
 - hydrazinophthalazine for, 141, 461
 - intrinsic blood pressure in, 643, 646
 - kidney function in
 - after adrenergic blockade, 941
 - and pantothenic acid, 309
 - malignant, 140, 461
 - methonium compound for, electrocardiography, 137
 - and myocardial infarction, 323-324
 - nephrogenic, 460
 - Nepresol for, 141
 - with papilledema, 140
 - pentapyrrolidinium for, 540-546
 - peripheral vs. visceral vascular beds in, after hypotensive drugs, 68-71
 - potassium deficiency in, 777
 - pulmonary
 - due to atrial defect, 618, 802, 808-810
 - hydergine test in, 311
 - and primary pulmonary sclerosis, 313
 - pulmonary arterial, after pulmonary vein ligation, 152
 - Rauwolfia serpentina, 139
 - renal, renin for, 462
 - rutin for arteritis due to, 460
 - S_t 12-20 lipoprotein in, 139
 - sympathectomy for, 942
 - thiocyanate for, headache due to, 459
 - thiophanium derivative for, 139
 - visceral vs. peripheral vascular beds in, after hypotensive drugs, 68-71
- Hyperthyroidism**
- auricular fibrillation in, 311
 - cerebral circulation in, 142, 309
 - cerebral oxygen consumption in, 142
- Hyperventilation**, arterial blood pressure after hypocapnia due to, 89-95
- Hypocapnia**, arterial blood pressure due to, 89-95

Hyponatremia, after mitral surgery, 768, 769

Hypopituitarism, urinary catechol excretion in, 596

Hypoprothrombinemia, due to Tro-mexan, vitamin K, for, 301

Hypotension

- during anesthesia, 151
 - due to Apresoline, 148
 - blood pressure in, intrinsic, 642-643, 646
 - controlled, in neurosurgery, 152
 - due to dihydrazinophthalazine, 148
 - due to hydrazinophthalazine, 148
 - induced, in surgery, 609
 - due to Nepresol, 148
 - norepinephrine for, after myocardial infarction, 38-47
 - postanesthetic, 622
 - postural
 - after hexamethonium, 525
 - hypocapnia and arterial blood pressure in, 92-93
 - due to Rauwolfia serpentina, 139
 - due to suction to legs in neurosurgery, 152
 - due to thiophanium derivative, 139
- Hypothermia**
- for direct-vision closure of atrial septal defect, 809
 - electrocardiographic effect of, 939
 - heart sounds after, 939
 - in shock treatment, 610
 - for surgical use, 609

Hypoxia

- electrocardiographic effect of, 939
- and electrolyte excretion, 142
- heart sounds after, 939
- and kidney circulation, 142
- and water excretion, 142

Iliac artery, occlusion of, and intermittent claudication of hip, 1-15

Iliad, circulation after, in visceral and peripheral vascular beds, 70

Ilotycin, for bacterial endocarditis, 297

Impotence, after pentapyrrolidinium in hypertension, 544

Impulse formation, after carotid sinus pressure, 96-104

Indian, American, hypertension in, 461

Indicator-dilution curves, in acyanotic congenital heart disease, 890-901

Infant

- aortic occlusion in, 632
- coagulation in, 618
- isolated myocarditis in, 781, 946
- mortality of, and maternal essential hypertension, 929
- systolic murmur in, 315
- See also Child; Newborn

Infarction

anteroseptal, with left bundle branch block, 945

lung, and pulmonary embolism, 153

myocardial

- anticoagulant for, 452, 747, 752
 - auricular involvement in, 135
 - ballistocardiography in, 391-392
 - blood coagulability after, 301
 - blood pressure in, 356-360
 - blood volume in, 358, 360
 - cardiac index in, 355-356
 - cardiac output in, 359-361
 - case history, 750-751
 - circulation in, 847-851
 - climatic influence on, 305
 - in congestive heart failure, 122
 - cortisone for shoulder-hand syndrome after, 135
 - dicumarol for, 743
 - digitalis in, 122-123
 - healed, and cardiovascular response to exercise, 347-351
 - hemodynamic study of, 352-362
 - hemopericardium with tamponade during anticoagulant therapy for, 618
 - intrinsic blood pressure in, 643-644
 - kidney function in, 42
 - location of, 260
 - norepinephrine for shock after, 38-47
 - peripheral resistance in, 358-360
 - pericarditis secondary to, 437
 - peripheral resistance in, 358-360
 - posterior, 773
 - prognosis, 321-334, 938
 - rupture of papillary muscle after, 306
 - and shock, 38-47, 305, 325, 331, 527-531, 612-613, 850-851
 - therapy, 455
 - urinary catechol excretion in, 596, 597
 - vectrocardiography in, 941
 - with Wolff-Parkinson-White syndrome, 456
 - pulmonary, with mitral stenosis, 766
 - septal, electrocardiographic diagnosis of, 459
- Infection**
- in obliterative artery disease, 630
 - in shock, 611
- Infectious mononucleosis**, pericarditis in, 439
- Infusion**
- arterial
 - for shock, 609
 - for shock due to myocardial infarction, 528-529
 - for shock, 613
- Injury**, due to blast, 785
- Insufficiency**
- aortic, syphilitic, 781
 - arterial, and intermittent claudication of hip, 1-15
 - circulatory, with cerebral apoplexy, 455

- energetic dynamic cardiac, 142
 mitral, electrocardiogram in, 941
- Interatrial foramen**, prenatal closure of, 393
- Interference dissociation**, in digitalis intoxication, 122
- Intervertebral disk**, protruded, 5
- Intestinal tract**, circulation in, after curarization, 621
- Intoxication**, due to digitalis, 115-126
- Ischemia**
 of lower limb, 954
 ventricular, and spatial QRS and T vector, 109, 111-112
- Isoniazid**, for tuberculous pericarditis, 17-21, 145, 435
- Isopropyl norepinephrine**, for shock due to myocardial infarction, 530
- K stroke pattern**, deep, and hypertension, 138
- K-strophanthoside**
 dibucaine hydrochloride for ventricular tachycardia due to, 82-88
 systemic venous pressure after, 945
- Khellin**, for angina pectoris, 456
- Kidney**
 anaphylactic lesion of, 471
 arterial pressure after stimulation of, 311
 autonomic ganglia of, 311
 carcinoma of, heart involvement by, 225
 circulation
 after alcohol, 146
 and blood-flow to extremities, 65-66
 and circulating blood volume, 944
 after constant-speed infusion of norepinephrine, 600-604
 in dog, 146
 after hypotensive drugs in hypertension, 70-71
 and hypoxia, 142
 contrast media for, 787
 failure of, acute, 633
 function
 after adrenergic blockade, 941
 after Apresoline in mitral stenosis, 700-704
 and blood pressure in ganglionic blockade, 312
 after exercise in mitral stenosis, 687-698
 and hexamethonium, 777
 postural effect on, 941
 in right heart failure, 691
 in shock after myocardial infarction, 42
 hemodynamics of
 after adrenergic blockade, 941
 after arteriovenous fistula, 156
 after hexamethonium, 943
 postural effect on, 941
 hypertension, and pantothenic acid, 309
- polycystic, with intracranial aneurysms, 631
 in potassium depletion due to laxative, 156
 response to hexamethonium, 310
 thrombosis, in epidemic diarrhea of newborn, 154
 unilateral atrophic hypertension due to, 460
 water excretion by, after mitral valvuloplasty, 208-209
- King, Robert L.**, awarded Distinguished Service Silver Medallion, 799
- Korean War**, acute vascular injuries in, 952
- Lanatoside**, bradycardia due to, 85-86
- Lanatoside C**, urticaria due to, 304
- Largactil**, 609
- Laxative**, potassium depletion due to, 156
- Lead**
 bipolar transthoracic, in determination of spatial ventricular gradient, 137
 chest, for electrocardiographic vector, 775
 electrocardiographic, 255-265, 773
 field, 255-265
 intracardiac, 261-262
 new, 863-878
 null point, 259, 264-265
 synthesis of
 by adjustment of lead field current at body surface, 873-877
 by combination, 868-873
 limitations of, 869, 877-878
- Leg**
 and intermittent claudication of hip, 3
 ischemia of, 954
 ulcer of, postpartum, 790
 venography of, 953
- Ligation**
 of aortic aneurysm, 498
 of hepatic artery and ascites, 153
 of major veins, 950
 popliteal, for gravitational syndrome, 151
 of pulmonary vein, pulmonary arterial hypertension after, 152
- Limb**, lower
 and intermittent claudication of hip, 3
 ischemia of, 954
 ulcer of, postpartum, 790
 venography of, 953
- Lindau-von Hippel disease**, and pheochromocytoma, 140
- Lipemia**
 alimentary
 circulation in, 335-344
 heparin clearing of, in coronary artery disease, 938
 prothrombin time after, 934
 in hamster, 336-339
- of plasma, heparin clearing, effect on, 935
 platelet in, 337
 red blood cell in, 333-344
- Lipid**
 in plasma
 during menstrual cycle, 315
 milk test for clearing factor in, 315
 in serum, and age of patient, 633
- Lipid clearing factor**, in plasma, milk test for, 315
- Lipoma**, mediastinal, simulating cardiac enlargement, 634
- Lipoprotein**
 after heparin, 935
 in plasma, after cold injury, 632
 S₁, 12-20
 in coronary artery disease, 139
 in diabetes, 139
 in hypertension, 139
- Liver**
 circulation
 after alcohol, 146
 in dog, 146
 enlargement of, after exposure to cold, 820
 function
 after bishydroxycoumarin, 148
 after Dipaxin, 235
 isolated, vasomotor activity in, 779
 phospholipid in, 582-583
- Lobelin**, in circulation time determination, 624
- Loop**, spatial, of ventricular gradient, 270-271
- Lung**
 agenesis of, and patent ductus arteriosus, 618
 arteriovenous fistula in, 155
 carcinoma of, heart involvement by, 222, 227
 decortication of, 318
 function of, in rheumatic heart disease, 626
 infarction of, and pulmonary embolism, 153
- Lung-heart machine**, 780
- Lupus erythematosus**
 disseminated, pericarditis in, 439
 nitrogen mustard for, 782
 triethylene melamine for, 782
- Lutembacher syndrome**, 618, 810
- Lymphoma**, malignant, heart involvement by, 225, 227
- Magnamycin**, for bacterial endocarditis, 297
- Magnesium trisilicate**, in rheumatic fever, 626
- Male**
 atherosclerosis of, coronary artery in, 304
 hyperestrogenism in, and severity of atherosclerosis, 534-535
- Mammary artery**, internal, anastomosis of, with coronary artery, 629
- Marathon runner**, cardiovascular adaptations of, 835-845

- Marrow**, embolism, 791
- Mast cell**, and atherosclerosis, 466
- Mediastinum**, lipoma in, simulating cardiac enlargement, 634
- Melamine**, triethylene, for lupus erythematosus, 782
- Melanoma**, malignant, heart involvement by, 222, 227
- Menstrual cycle**
and anticoagulant therapy, 744, 756
plasma lipid in, 315
- Meralgia paresthetica**, 76
- Mercumatin**, 947
- Mercurial diuretic**. *See* Diuretic
- Methoxyline**, 146
- Mesothelioma**, pericardial, 438
- Methonium compound**
for hypertension
arterial, 140
electrocardiography, 137
new, 140
- Methoxamine**
for shock due to myocardial infarction, 530
for supraventricular tachycardia, 780
- Microphone**, phonocardiographic, 128
- Milk**
low sodium, 959
in test for lipid clearing factor in plasma, 315
- Mirror pattern**, electrocardiographic, 306
- Mitral valve**
calcification of, 144, 367-370
and mitral surgery, 767
disease of, and pulmonary function, 467
insufficiency of
electrocardiogram in, 941
surgery for, 28
ventricle in, 27-28
regurgitation
diagnosis of, 785
with mitral stenosis, 764-765, 778
phonocardiography, 130-131
in rheumatic heart disease, 786
stenosis of, 149, 314
with aortic regurgitation, 764
with aortic stenosis, 26-28, 763-764
atrial pressure in, 619
with atrial septal defect, 810
with auricular fibrillation, 304, 767
with auricular fibrillation in bacterial endocarditis, 908-914
blood volume in, 576, 578
body water after, 206-209
body water in, 204
with calcific emboli, 463
circulation in, 619
circulation after Valsalva maneuver in, 514-515, 519
commissurotomy, 463, 628, 788, 938, 950
congenital, 161-178
with congestive heart failure, 304
- electrogram, 138
exercise tolerance tests in, 620
kidney function after Apresoline, 700-704
kidney function after exercise in, 687-698
of Lutembacher's syndrome, 175
medical aspects of, 758-769
with mitral calcification, 767
with mitral regurgitation, 764-765, 778
phonocardiography, 129-131
postoperative, 317
potassium metabolism in, 204-206, 213
in pregnancy, 767, 925
preoperative body composition in, 204-206
pulmonary capillary venous pressure in, 619
pulmonary circulation in, 628
pulmonary circulation in, after oxygen breathing, 944
pulmonary hemodynamics in, 150
with pulmonary regurgitation, 766
with pulmonary stenosis, 766
recurrence after commissurotomy, 150
regurgitation, 149
residual air in, 149
rheumatic, 22
sodium metabolism in, 204-206
surgery for, 758-769, 781
surgery for, during pregnancy, 925
with tricuspid regurgitation, 766
with tricuspid stenosis, 766
utilization quotient of oxygen after exercise in, 313
valvotomy for, 452
ventilatory studies in, 620
surgery, 317
valvuloplasty, metabolic changes in, 199-217
- Mönckeberg's arteriosclerosis**, 465
- Mononucleosis**, infectious, with acute pericarditis, 634
- Morphine**
bradycardia due to, before and after ventricular tachycardia, 84, 87
for shock, due to myocardial infarction, 528
- Mortality**
in aortic commissurotomy, 25-26, 27
infant, and maternal essential hypertension, 929
in long-term anticoagulant therapy, 832-833
maternal, in pregnancy with rheumatic heart disease, 922-925
in myocardial infarction, 330-331
right heart catheterization, 143
due to tuberculous pericarditis, 19
- Mouse**, blood pressure in tail of, after ischemia, 779
- Mouth**, streptococci in, and subacute bacterial endocarditis, 300
surgery of, during long-term anticoagulant therapy, 831
- Murmur**
aortic systolic, 625
apical, 625
in atrial septal defect, 810
Austin Flint, 783
phonocardiography, 131
autochthonic, due to organic arteriopathy, 784
Flint, 131, 783
phonocardiographic, 129, 132-134
precordial, 948
systolic, in infant, 315
- Mustard**, nitrogen, triethylene melamine in, 782
- Myocarditis**
acute isolated, in newborn infant, 946
ballistocardiography in, 393
Fiedler's, 781
idiopathic, in children, 946
isolated, in infant, 781
- Myocardium**
adenosine triphosphatase in, 142
in angina pectoris, 456
in aortic stenosis, 26-27
calcification of, 367-370
after digitalis toxicity, 118, 125-126
failure of, and ventricular function curve, 714
hyperirritability of, 121
infarction of
anticoagulant for, 452, 747, 752
auricular involvement in, 135
ballistocardiography in, 391-392
blood coagulability after, 301
blood pressure in, 356-360
blood volume in, 358, 360
cardiac index in, 355-356
cardiac output in, 359-361
case history, 750-751
circulation in, 847-851
climatic influence on, 305
in congestive heart failure, 122-123
cortisone for shoulder-hand syndrome after, 135
dicumarol for, 743
digitalis in, 122-123
healed, and cardiovascular response to exercise, 347-351
hemodynamic study of, 352-362
hemopericardium with tamponade during anticoagulant therapy for, 618
intrinsic blood pressure in, 643-644
kidney function in, 42
location of, 260
norepinephrine for shock after, 38-47

- pericarditis secondary to, 437
 posterior, 773
 prognosis, 321-334, 938
 rupture of papillary muscle
 after, 306
 shock after, 38-47, 395, 325,
 331, 527-531, 612-613, 850-
 851
 therapy, 455
 urinary catechol excretion in,
 596, 597
 vectorcardiography in, 941
 with Wolff-Parkinson-White
 syndrome, 456
 in pericarditis, 436
 sarcoidosis in, 886-889
 tumor metastasis to, 220-228
Myxedema, and atherosclerosis,
 455
- Nausea**
 of digitalis intoxication, 123
 after Hydergine, 54, 55
- Necrosis**, of foot, 184-191
- Neohydrin**, 947
- Neomycin**, as anticoagulant, 451
- Neoplasm**, pericarditis due to,
 438-439
- Neo-Synephrine**, 39
 for shock, 613
- Nephrectomy**
 bilateral, cardiovascular lesion
 after, 470
 and hypertension, 790
- Nepresol**
 for hypertension, 141
 hypotension due to, 148
- Nervous system**, autonomic, and
 post-Valsalva maneuver,
 150, 515
- Neuralgia**, postherpetic, Priscoline
 for, 76
- Neurofibromatosis**, multiple, and
 pheochromocytoma, 140
- Neurosurgery**, controlled hypo-
 tension in, 152
- New England**, heart disease in,
 467
- Newborn**
 coagulation in, 618
 epidemic diarrhea of, and kidney
 thrombosis, 154
 prothrombin in, 300
- Nicotine**
 and myocardial infarction, 326,
 332
 peripheral vascular system
 after, 955
- Nicotinic acid ester**, for skin test
 in rheumatic disease, 949
- Nitrogen**, nonprotein, in myo-
 cardial infarction, 326
- Nitrogen mustard**, for lupus
 erythematosus, 782
- Nitrous oxide**, 787
- Nitrous oxide method**, vs. blood
 pressure method for deter-
 mining cardiac output,
 671-673, 677
- Node**, sinoatrial, arterial supply
 to, 547-553
- Noradrenaline**
 with Apresoline, 703-704
 in blood, 784
 in pheochromocytoma, 942
- pulmonary circulation after,
 948
 for shock, 610
- Norepinephrine**
 catechol excretion after infusion
 of, 596, 597, 598
 cerebral circulation after, 147
 kidney circulation after con-
 stant-speed infusion of,
 600-604
 for shock, 613
 after myocardial infarction,
 38-47, 529-530
- Null contour**, mean spatial vectors
 constructed from, 555-562
- Occlusion**
 acute massive venous, of lower
 extremity, 632
 aortic, in infaney, 632
 arterial
 Priscoline for, 78
 sympathetic denervation for,
 238-246
See also Stenosis; Thrombosis
- Occupation**, of older cardiac
 patient, 633
- Oliguria**, in shock after myo-
 cardial infarction, 42
- Oophorectomy**, bilateral, athero-
 sclerosis after, 535-538
- Orange juice**, for digitalis intoxi-
 cation, 122
- Orange of acridine**, 947
- Osler's disease**, circulation time
 in, 145
- Osmolarity**, cellular, in heart
 failure due to beriberi,
 252-253
- Osteltis deformans**
 cardiac output in, 943
 circulation in, 952
- Ouabain**, systemic venous pressure
 after, 945
- Oxygen**
 in blood,
 in congenital heart disease,
 937
 determination of, 625
 cerebral consumption of, in
 hyperthyroidism, 142
 consumption of, after hexa-
 methonium, 943
 utilization quotient of, after
 exercise in mitral stenosis,
 313
See also Anoxia; Hypoxia
- Oxymetry**, in determination of
 circulation time, 784
- Oxypolygelatin**, as replacement
 fluid in hemorrhage, 469
- Oxytetracycline**
 for bacterial endocarditis, 296
 subacute, 617
- P-9295**, skin circulation after, 411-
 412, 414
- P wave**
 in African, 866
 after running, 837, 844
- Pacemaker**
 after carotid sinus pressure, 96-
 104
 external, in Adams-Stokes dis-
 ease, 482-492
- Paget's disease**
 bone vascularization in, 154
 cardiac output in, 943
- Pain**
 heart, after Priscoline, 148
 in hip, 5
 due to occlusive arterial disease,
 Priscoline for, 77-79
 in pericarditis, 425, 430
 posttraumatic, Priscoline for, 76
- Pancreas**, carcinoma of, heart
 involvement by, 225, 227
- Pancytopenia**, with bacterial endo-
 carditis, 934
- Pantothenic acid**, in renal hyper-
 tension, 309
- Papillary muscle**, rupture of, after
 myocardial infarction, 306
- Papilledema**, in hypertension, 140
- Para-aminohippuric acid**
 clearance of, in shock after myo-
 cardial infarction, 42
- Para-aminosalicylic acid**
 and probenecid, 294
 for tuberculous pericarditis, 17-
 21, 145, 435
- Paracentesis**, pericardial, 428-
 429, 431, 436
- Paranoia**, after mitral surgery,
 769
- Paredrine**, for shock, 613
- Paresthesia**, thigh, 76
- Penicillin**
 as anticoagulant, 451
 for bacterial endocarditis, 292-
 294, 298
 and Benemid, 294
 for pericarditis, 434
 and probenecid, 294
- Peniomide**, 947
- Pentamethonium bromide**, 947
- Pentapyrrolidinium**, for hyper-
 tension, 540-546
- Pentothal**, 787
- Periarthritis nodosa**, and sarcoi-
 dosis, 466
- Pericardiotomy and cardiorrhaphy**
 for heart wound, 788
- Pericarditis**
 acute, 425-440
 with infectious mononucleosis,
 634
 nonspecific, 429-434
 acute diffuse, and myocardial
 infarction, 325, 332
 cholesterol, 439
 coccidioidal, 439
 constrictive
 and hemopericardium, 464
 and rheumatic heart disease,
 151
 due to echinococcus, 439
 electrocardiography in, 428, 432,
 436, 437, 438
 friction rub, 426, 430, 435, 437
 due to fungus, 439
 in infectious mononucleosis, 439
 in lupus erythematosus, 439
 due to neoplasm, 438
 pyogenic, 433, 437-438
 rheumatic, 433, 435-436
 secondary to myocardial in-
 farction, 437
 traumatic, 438

- Pericarditis** (*Cont'd*)
 tuberculous, 17-21, 433, 434-435
 antimicrobial therapy for, 145
 uremic, 433, 436-437
- Pericardium**, tumor of, 438-439
- Personality**, change in, after
 mitral surgery, 769
- Phenergan**, 609
- Phenothiazine**, derivatives of, 609
- Phenylindanedione**, 450, 629
- Pheochromocytoma**
 adrenalin in, 942
 hemiplegia due to, 778
 and neurocutaneous syndrome,
 140
 noradrenalin in, 942
 and pressor amine excretion,
 461
- Phleboscclerosis**, diffuse, with
 calcification, 144
- Phonocardiography**, 127-134
- Phospholipid**
 aortic, in rabbit atheromatosis,
 581-584
 in coronary artery disease, 139
 in diabetes, 139
 in hypertension, 139
 in liver, 582-583
 synthesis of, after heparin, 452
- Pilot**, electrocardiogram of, trans-
 mitted by radio, 136
- Planigraphy**, in intracardiac calci-
 fication, 367-370
- Plasma**
 cholesterol in, after ferric chlo-
 ride, 146
 determination of volume of, 462
 expander of, for shock, 608-609
 hexamethonium in, 460
 kidney flow of
 after constant-speed infusion
 of norepinephrine, 602
 in shock after myocardial
 infarction, 42
 lipid in
 heparin clearing effect on,
 935
 during menstrual cycle, 315
 lipid clearing factor in, milk
 test for, 315
 lipoprotein in, after cold injury,
 632
 for shock, 608
 in sodium, as measure of de-
 hydration, 955-956
 volume of, in shock due to myo-
 cardial infarction, 850
- Platelet**
 adhesiveness of, 344
 in lipemia, 337
- Plethysmography**, intracardiac im-
 pedance, 634
- Plexus**, brachial, hypoxapnia and
 arterial blood pressure
 after block of, 93
- Plug**, of polyvinyl sponge, for
 atrial septal defect, 318
- Pneumoperitoneum**, circulation
 after, 785
- Polysaccharide**
 group A
 precipitin reactions in rheu-
 matic fever, 151
 precipitin reaction in strepto-
 coccus, 151
- in serum, in diabetes mellitus,
 466
- Polyvinyl sponge plug for atrial
 septal defect**, 318
- Polyvinylpyrrolidone**, as plasma
 expander, 608-609
- Popliteal artery**, aneurysm of,
 atherosclerotic, 363-366
- Popliteal vein**, ligation of, for
 gravitational syndrome,
 151
- Position**, in bed, and cardiac
 output, 313
- Posture**, in Tetralogy of Fallot,
 935
- Potassium**
 for arrhythmia, 119
 depletion of, due to laxative,
 156
 dietary, in hypertension, 777
 and digitalis
 in auricular tachycardia with
 block, 621
 intoxication due to, 119, 122
 in electrocardiography, 336, 939
 excretion of, in feces, 35
 heart sounds after, 939
 metabolism of
 in heart failure due to beriberi,
 252
 in mitral stenosis, 204-206
 after mitral valvuloplasty,
 213, 215-217
 in nephrectomized rat with
 hypokalemic alkalosis, 466
 in plasma, and electrocardiog-
 raphy, 308
 radioactive, in circulation, 784
 in serum, after running, 836
 in stored blood, as hazard in
 intraarterial transfusion,
 470
- Potassium chloride**, for ven-
 tricular tachycardia due
 to digitalis, 118
- Potential**, of heart, 315, 563-570
- Potential difference**, of heart, 458
- P-R interval**
 in African, 866
 after running, 837
- Precipitin**, group A polysac-
 charide, 151
- Pre-eclampsia**
 vs. essential hypertension, 929
 and heart disease, 930
- Pregnancy**
 and bacterial endocarditis, 928
 blood volume in, 944
 cardiovascular problems in, 922-
 932
 circulation during, 930-932
 and coarctation of aorta, 927
 and dissection of aorta, 927
 and essential hypertension, 928-
 930
 and mitral surgery, 767
 and patent ductus arteriosus,
 926
 and pulmonary stenosis, 926
 rheumatic heart disease in, 922-
 926
 and septal defects, 926
 spatial vectorcardiogram in,
 381-387
 and tetralogy of Fallot, 926-927
- urinary catechol excretion
 during, 596
- Premarin**, for atherosclerosis, 534
- Pressor amine**, excretion of, 461
- Pressure**, negative, in mechanical
 respirator, 468
See also Blood pressure
- Pressure gradient**, in arterial wall
 in arteriosclerosis, 939
- Pressure pulse**, aortic, recording
 of, 945
- Pressure wave**, right atrial, with
 right ventricular hyper-
 trophy, 312
- Priscoline**
 for atherosclerosis, 75
 for arteriosclerosis obliterans, 77
 for causalgia, 76
 heart pain after, 148
 intra-arterial, for peripheral
 arterial disease, 73-80
 intravenous, cerebral circulation
 after, 147
 for Raynaud's disease, 75
 skin circulation after, 409-410,
 412-414
 skin temperature after, 74, 77,
 79
 for thromboangiitis obliterans,
 77-78
- Probenecid**
 and para-aminosalicylic acid,
 294
 and penicillin, 294
 and salicylate, 294
- Procaine**
 allergic skin reaction to, 314
 for Wolff-Parkinson-White syn-
 drome, 779
- Pronestyl**
 for arrhythmia due to digitalis,
 117-118, 120-121
 in mitral surgery, 767, 768
 for ventricular tachycardia, 125
 for Wolff-Parkinson-White syn-
 drome, 779
- Prostigmine**, in mitral surgery, 768
- Prothrombin**
 assay
 one-stage, 235-236
 two-stage, 235-236
 after Dipaxin, 231-234
 in long-term anticoagulant ther-
 apy, 826-833
 in newborn, 300
 and Tromexan, 301
- Prothrombin time**, 934
- Prothrombin**, and emotion, 744
- Protoveratrine**, circulation after,
 in visceral and peripheral
 vascular beds, 70
- P s E-loop in pregnancy**, 384
- Psychosis**
 after hydrazine for essential
 hypertension, 943
 after mitral surgery, 769
- Pulmonary artery**
 aneurysm of, 953
 blood pressure in, after pulmo-
 nary vein ligation, 152
 circulation in, in mitral stenosis,
 after oxygen breathing,
 944
 congenital absence of main
 branch of, 771

- embolism in
during anticoagulant therapy, 141
in congestive heart failure, 447-449
elastic stockings for prevention of, 791
and myocardial infarction, 325
and pulmonary infarction, 153
after trauma, 154
infarction of, with mitral stenosis, 766
hypertension, Hydergine test in, 311
pressure in
in atrial septal defect, 802, 808-810
after Dihydroergotamine, 314
direct measurement of, 621
after Hydergine, 314
in mitral stenosis, 150
normal, 779
and pulmonary arteriolar resistance, 780
and ventricular hypertrophy, 307
regurgitation, with mitral stenosis, 766
stenosis
asymptomatic isolated, 453
cardiodynamics of, 936
congenital, with intact ventricular septum, 302
infundibular, 771
moderate, 936
phonocardiography, 131-133
and pregnancy, 926
small pulmonary vessels in, 937
thrombosis of, with interatrial septal defect, 453
- Pulmonary vein**
anomalous, 786, 950, 951
left, 954
draining of, by persistent left superior vena cava, 955
ligation of, pulmonary arterial hypertension after, 152
pressure in, in mitral stenosis, 150
resistance in, 143
transportation of, with atrial septal defect, 790
transposed, 935
- Pulsation**, of coronary artery, 626
after running, 836
- Pulse**
femoral, and aortic constriction of, 622
Pulse pressure, and stroke volume, 649-654, 661-662
- Pulse rate**
and exercise, 193-197
after healed myocardial infarction, 349, 350
after hexamethonium, for hypertension, 523, 525
after Hydergine, 54
- Pulse wave velocity**
after death, 674
in stroke volume determination, 652-653, 660-661
- Pulse volume**, during tamponade, 426-427
- Pulsus alternans**, circulation in, 946
- Pulsus paradoxus**, 426-427
- Pyrogen**, bacterial, 471
- Q₂ pattern**, in pregnancy, 386
- Q wave**, in pregnancy, 386
- QRS complex**
in African, 864
in pericarditis, 432
after running, 837-838, 844-845
- QRS vector**, spatial, in normal middle-aged men, 105-113
- QRS sE-loop**, 271-273
in pregnancy, 382-387
- QRS-T angle**, 940
- Q-T interval**
and cardiac rate, 457
in cerebrovascular accidents, 719
and duration of systole, 308
prolongation of, 118-119
after running, 841, 845
- Q-U interval**, 774
- Quinidine**
for arrhythmia due to digitalis, 117-118
in auricular fibrillation, 623
in mitral surgery, 767, 768
for ventricular tachycardia paroxysmal, 145
transient, 144
- R wave**
in African, 864
after running, 838-839
- Rabbit**
aortic phospholipid, in atheromatosis of, 581-584
vagal stimulation in, 945
- Race (of patient)**
and pericarditis
acute, nonspecific, 430
tuberculous, 434
- Radiochromium**, red blood cell tagged with, in determining blood volume, 571-579
- Radio-electrophysiologogram**, 625
- Radiopotassium**, in circulation, 784
- Radiosulfate**, in determination of extracellular fluid volume, 151
- Rat**
heart of, glutamic acid oxidation by, 623
nephrectomized, potassium in, 466
unanesthetized, arterial pressure in, 620
- Rattlesnake venom**, cardiovascular responses to, 467
- Rauwolfia serpentina**, for hypertension, 139
- Raynaud's disease**
Dibenzylamine for, 75
hexamethonium for, 75
Priscoline for, 75
- Red blood cell**
adhesiveness, in lipemia, 336-344
aggregation of, in lipemia, 336-344
radiochromium-tagged, in determining blood volume, 571-579
sedimentation of, in congestive heart failure, 454
- Reflex**, carotid sinus, hypersensitive, 469
- Refrigeration**, in aortic surgery, 789
- Regitine**, skin circulation after, 410-411, 413
- Regurgitation**
aortic
with mitral stenosis, 764
phonocardiography, 133
mitral, 149
with mitral stenosis, 764-765, 778
phonocardiography, 130-131
pulmonic, with mitral stenosis, 766
tricuspid
with mitral stenosis, 766
phonocardiography, 131
- Rehabilitation**, after cerebral stroke, 470
- Renal artery**, embolus to, 756
- Renin**, for renal hypertension, 462
- Repolarization of heart**, vs. depolarization, 267-274
- Residual air**, in mitral stenosis, 149
- Resin**, cation exchange
for congestive heart failure, 454
for edema, 453, 454
and sodium conservation, 32-37
- Resistance**
peripheral, in myocardial infarction, 358, 359, 360
pulmonary arteriolar, and pulmonary artery pressure, 780
- Respiration**
intermittent positive-negative pressure, 779
right heart pressure in, 311
- Respirator**, mechanical, 468
- Resuscitation**, cardiac, 947
- Retinal capillary**, blood velocity in, 778
- Rheumatic disease**, nicotinic acid ester skin test in, 949
- Rheumatic fever**
acute, ballistocardiogram in, 400-406
aortic stenosis due to commissurotomy, 22-31
carditis due to
corticotropin for, 149
cortisone for, 149
group A polysaccharide, precipitin reactions in, 151
mitral stenosis due to, 22
pericarditis due to, 433, 435-436
prevention of, 785
rheumatic heart disease after cortisone for, 316
salicylate for side effects of, 626
serum diphenylamine reaction in, 949
treatment of, 949
See also Heart disease, rheumatic
- Rheumatism**, acute articular, cardiac lesions in, 949
- Rhythm**
ectopic, in myocardial infarction, 327-329

- Rhythm** (*Cont'd*)
gallop, and myocardial infarction, 325
- Rib**, notching of, after surgery for congenital heart disease, 619
- Rice diet**, electrolyte metabolism during, 156
- Roentgenkymography**, of coronary pulsation, 626
- Roentgenography**
in calcification, 368
in coarctation of thoracic aorta, 302
in intermittent claudication of hip, 2, 4, 14-15
in pericarditis, 427, 431
- RS-T segment**, after running, 845
- Runner**, cardiovascular adaptations of, 835-845
- Rupture**
of blood vessel due to physical exertion, 155
of papillary muscle after myocardial infarction, 306
- Rutin**, for arteritis
due to hypersensitivity, 460
due to hypertension, 460
- S wave**, after running, 838-839
- SAQs vector**, in pregnancy, 385
- SAr vector**, in pregnancy, 385
- Salicylate**
and probenecid, 294
for rheumatic fever, side effects of, 626
- Saline**, solution of, for shock, 609
- Salt**
in hypertension, 416-422
solution of, for shock, 609
- Sarcoidosis**
myocardial, 886-889
and periarthritis nodosa, 466
- Sarcoma**
pericardial, 438
reticular cell, heart involvement by, 225, 227
- Scleroderma**, diffuse progressive, 468
- Sclerosis**
of coronary artery, in castrated females, 535-538
multiple, dietary fat in, 335, 343, 344
primary pulmonary, and pulmonary hypertension, 313
- Season** (of year), and myocardial infarction, 305
- Second World Congress of Cardiology**, Twenty-seventh Scientific Session, 319-320, 481, 638, 797-798, 957-959
- Sedimentation**, of erythrocyte, in congestive heart failure, 454
- Semilunar valve**. *See* Aortic valve
- Septum**
atrial, defective, 618, 790, 937
closure of, 504-510, 801-811
polyvinyl sponge plug for, 318
with pulmonary artery thrombosis, 463
with transposition of pulmonary vein, 790
- defect of
and pregnancy, 926
due to trauma, 787
- infarction of, electrocardiographic diagnosis of, 459
- ventricular,
with congenital pulmonary stenosis, 302
defect of, 464, 782
- Serotonin**, 314
- Serum**
antistreptolysin-O, 317
calcium in, determination of, 948
chloride in, bedside test for, 635
cholesterol in
in coronary artery disease, 139
in diabetes, 139
in hypertension, 139
diphenylamine reaction of, in rheumatic fever, 949
lipid in, 633
magnesium in, determination of, 948
polysaccharide in, in diabetes, 466
potassium in, after running, 836
- Sex** (of patient)
and intermittent claudication of hip, 3
and myocardial infarction, 323
and pericarditis, 430, 434
- SG vector**, in pregnancy, 385
- Shock**, 606-613
arterenol for, 783
cyclopropane, 622
hemorrhagic, intra-arterial vs. intravenous transfusion in, 468
infection in, 611-612
irreversible, 610-612
medical, 612-613
in myocardial infarction, 305, 325, 331, 527-531, 612-613, 850-851
norepinephrine for, 38-47
traumatic, 606-607, 612
- Shock therapy**, electric, 635
- Shoulder-hand syndrome**
cortisone for, after myocardial infarction, 135
Priscoline for, 76
- Shunt**, left-to-right, dye dilution curves in, 890-901
- Sinoatrial node**
arterial supply to, in dog heart, 547-553
pacemaker in, 96-104
- Sinus bradycardia**, due to morphine, before and after ventricular tachycardia, 84, 87
- Skin**
allergy of, to procaine amide, 314
blood pressure in, 180-191
capillary fragility of, 953
circulation in
heat flow measurement of, 408-414
after Hydergine, 411, 413-414
after hypotensive drugs in hypertension, 70-71
after Priscoline, 409-410, 412-414
after P-9295, 411-412, 414
- after Regitine, 410-411, 413
after Tolazoline, 409-410, 412-414
- movement of interstitial fluid in, 948
- temperature of
heat flow measurement of, 408-414
after Priscoline, 74, 77, 79
- Sludging**, of blood, 343
- Smoking**
ballistocardiogram after, 775
and myocardial infarction, 326, 332
peripheral vascular system after, 955
- Sodium**
in Addison's disease, after cortisone, 309
administration of, in azotemia, 118
conservation of
and cation-exchange resin, 32-37
by colon, 32-37
dietary, digital circulation after depletion of, 586-590
drastic depletion of, in essential hypertension, 942
excretion of
after Apressoline, 704
in feces, 35
in heart disease, 695-697
in hypertension, 416-422
low, in milk, 959
metabolism of
in heart failure due to beriberi, 252
in mitral stenosis, 204-206
after mitral valvuloplasty, 209-213, 215-217
in plasma
and electrocardiography, 308
as measure of dehydration, 955-956
postoperative retention of, 156
retention of, in congestive heart failure, 454
- Sodium bicarbonate**, in electrocardiography, 306
- Sodium chloride**, solution of, for shock, 609
- Sodium hydroxide**, in electrocardiography, 306
- Sodium salicylate**, for rheumatic fever, side effects of, 626
- Sounds**, cardiac. *See* Heart sound; Murmur
- Spatial vector**
mean, construction of, 555-562
in normal middle-aged men, 105-113
- Splanchnicectomy**, for essential hypertension, 942
- Sportsman**, unipolar electrocardiogram in, 458
- S-T segment**
in African, 860-867
changes in, due to digitalis, 121
in pericarditis, 428, 432, 436, 433
after running, 841
- Standstill**, cardiac, 780
infracostal approach for, 789
in Stokes-Adams syndrome, 853-855

- during surgery, 317
transfusion in, 463
ventricular
 external electric stimulation
 for, 492
 paroxysmal, 857-859
Starling's law of the heart, 706-716
- Stenosis**
 of aortic valve
 arteriosclerotic, 23
 calcareous, 784
 commissurotomy for, 22-31, 781
 congenital, 23
 with mitral stenosis, 26-28, 763-764
 phonocardiography, 133-134
 rheumatic, 22-31
 of aorta
 and femoral pulse, 622
 in infancy, 632
 and intermittent claudication
 of hip, 1-15
 and ventricular function
 curve, 713
 mitral, 149, 314
 with aortic regurgitation, 764
 with aortic stenosis, 26-28, 763-764
 atrial pressure in, 619
 with atrial septal defect, 810
 with auricular fibrillation, 304, 767
 with auricular fibrillation in
 bacterial endocarditis,
 908-914
 blood volume in, 576, 578
 body water in, 204, 206-209
 with calcific emboli, 463
 circulation in, 619
 circulation after Valsalva ma-
 neuver in, 514-515, 519
 commissurotomy, 463, 628, 788, 938, 950
 congenital, 161-178
 with congestive heart failure,
 304
 electrogram, 138
 exercise tolerance tests in, 620
 kidney function after Apres-
 oline in, 700-704
 kidney function after exercise
 in, 687-698
 of Lutenbacher's syndrome,
 175
 medical aspects of, 758-769
 with mitral calcification, 767
 with mitral regurgitation, 764-
 765, 778
 phonocardiography, 129-131
 postoperative, 317
 potassium metabolism in, 204-
 206, 213
 in pregnancy, 767, 925
 preoperative body composi-
 tion in, 204-206
 pulmonary capillary venous
 pressure in, 619
 pulmonary circulation in, 628
 pulmonary circulation in,
 after oxygen breathing,
 944
 pulmonary hemodynamics in,
 150
- with pulmonary regurgita-
 tion, 766
 with pulmonary stenosis, 766
 recurrence after commissu-
 rotomy, 150
 regurgitation, 149
 residual air in, 149
 rheumatic, 22
 sodium metabolism in, 204-206
 surgery for, 758-769, 781
 surgery for, during pregnancy,
 925
 with tricuspid regurgitation,
 766
 with tricuspid stenosis, 766
 utilization quotient of oxygen
 after exercise in, 313
 valvotomy for, 452
 ventilatory studies in, 620
- pulmonary**
 asymptomatic isolated, 453
 cardiodynamics of, 936
 congenital, with intact ven-
 tricular septum, 302
 infundibular, 771
 moderate, 936
 phonocardiography, 131-133
 and pregnancy, 926
 small pulmonary vessels in,
 937
 tricuspid
 with mitral stenosis, 766
 surgical treatment of, 881-885
- Stilbestrol**, for atherosclerosis, 534
- Stocking**, elastic, for prevention of
 pulmonary embolism, 791
- Stokes-Adams syndrome**, 857-859
 with auricular and ventricular
 standstill, 853-855
 external electric stimulation for,
 482-492
 neurogenic, 853
 due to ventricular fibrillation
 and tachycardia, 144
- Stomach**
 carcinoma of, heart involvement
 by, 225
 ulcer of, and anticoagulant ther-
 apy, 745-746
- Streptobacillus moniliformis**, in-
 fection due to, with bac-
 terial endocarditis, 934
- Streptococcus**, group A polysac-
 charide precipitin reac-
 tions in, 151
- Streptococcus**, in mouth, and sub-
 acute bacterial endo-
 carditis, 300
- Streptomycin**
 as anticoagulant, 451
 for bacterial endocarditis, 294-
 295, 298
 for pericarditis, 434
 tuberculous, 17-21, 145, 435
- Stress**, preceding myocardial in-
 farction, 326
- Stroke**, cerebral, rehabilitation
 after, 470
- Stroke volume**
 determination of, 648-662, 664-
 679
 and pulse pressure, 649-654, 661-
 662
 ventricular, during tamponade,
 426-427
- Stroke work**, ventricular, 710-716
- Strophanthoside**
 bradycardia due to, 85-86
 dibucaine hydrochloride, for
 ventricular tachycardia
 due to, 82-88
 systemic venous pressure after,
 945
 vomiting due to, 85
- Subclavian artery**, autograft of,
 for bridging defects in
 thoracic aorta, 788
- Suction**, to legs, for controlled
 hypotension, 152
- Sudeck's atrophy**, Priscoline for,
 76
- Sulfonamide**, for pericarditis, 434
- Summer**, and myocardial infarc-
 tion, 305
- Superior vena cava syndrome**, 624
- Surgery**
 for abdominal aortic aneurysm,
 494-502
 for aortic stenosis, 781
 rheumatic, 22-31
 of aorta, refrigeration in, 789
 for aortoiliac thrombosis, 6
 for atrial septal defect, 504
 direct-vision closure, 801-811
 after digitalization, 147
 heart anesthesia, 151
 heart standstill during, 317
 hypotension used in, 152, 609
 hypothermia used in, 609
 for mitral insufficiency, 28
 for mitral stenosis, medical as-
 pects of, 758-769
 oral, during long-term anticoag-
 ulant therapy, 831
 for popliteal aneurysm, 366
 pulmonary embolism after, 154
 for saccular aneurysm of aorta,
 155
 sodium retention after, 156
 for tricuspid stenosis, 881-885
 for varicose veins, 629
 venous blood pressure during,
 152
 water retention after, 156
- Sympathectomy**
 and arterial blood pressure due
 to hypocapnia, 93
 for arterial occlusive disease,
 238-246
 chronic, 787
 peripheral, 634
 for hypertension, 942
 paradoxical response to, 78
 thoracolumbar, urinary catechol
 excretion after, 594-596,
 598
- Syncope**, due to bronchogenic
 carcinoma, 312
- Syphilis**
 aortic aneurysm due to, 494
 aortic insufficiency due to, 781
- Syringe**, in venepuncture, 451-452
- Systole**
 duration of, and Q-T distance,
 328
 premature, in myocardial infarc-
 tion, 327-328
 simulated, at necropsy, 648-662
- Szent-Györgyi**, Albert, 799

- T vector**, spatial, in normal middle-aged men, 105-113
- T wave**
in African, 860-867
changes in, due to digitalis, 121, 125
cerebrovascular accidents, 719-720
during gall bladder disease, 136
inverted, in African, 860-863
isoelectric, 270
in pericarditis, 428, 432, 436, 438
after running, 840-841
- Tachycardia**
auricular
in childhood, 146
due to digitalis, 117
in myocardial infarction, 329
paroxysmal supraventricular, methoxamine for, 780
and spontaneous flutter, 621
ventricular
Adams-Stokes syndrome due to, 144
due to digitalis, 117
due to K-strophanthoside, 82-88
in myocardial infarction, 135, 328
after norepinephrine for shock in myocardial infarction, 45
paroxysmal, 135, 328
prolonged, 145
Pronestyl for, 125
quinidine for, 145
- Tamponade**
heart, 426-427
with hemopericardium during anticoagulant therapy of myocardial infarction, 618
pericardial, 425
- Temperature**, of skin, after Priscoline, 74, 77, 79
- Temporal arteritis**, 155
- Terramycin**
as anticoagulant, 451
for bacterial endocarditis, 296
for pericarditis, 434
- Test**, bedside, for serum chloride, 635
- Testis**, tumor of, heart involvement by, 225
- Tetraethylthiuramdisulfide**, electrocardiogram after, 939
- Tetralogy of Fallot**
postural effects in, 935
and pregnancy, 926-927
- Thiamine**, excretion of, after mercurials in congestive heart failure, 454
- Thigh**, paresthesia, 76
- Thiocyanate**
delirious reactions secondary to, in hypertension, 310
for headache due to hypertension, 459
- Thiophanium**, derivative of, for hypertension, 139
- Thorax**, electrical field of heart on surface of, 308
- Thrombectomy**, in Volkmann's contracture, 317
- Thromboanglitis obliterans**, 153
Dibenzyline for, 78
hexamethonium for, 78
Priscoline for, 77-78
- Thromboembolism**
anticoagulant for, 742
in private practice, 682-685
during anticoagulant therapy, 750
long-term, 827-828
white, after anticoagulant, 154
- Thromboendarterectomy**, for thrombosis of abdominal aorta, 790
- Thrombophlebitis**
anticoagulant for, 753
pulmonary embolism during anticoagulant therapy with, 141
recurrent, 752-754
- Thrombosis**
of aneurysm of cerebral artery, 786
of aorta
abdominal, thromboendarterectomy for, 790
in intermittent claudication of hip, 1-15
terminal, 465
cerebral, rehabilitation after, 470
coronary
anticoagulant for, 741-742
with cerebral apoplexy, 455
and dietary fat, 344
kidney, in epidemic diarrhea of newborn, 154
Priscoline for, 78
of pulmonary artery, with interatrial septal defect, 453
venous
management of, 790
post-partum, 790
- Thrombus**, auricular, occlusive, 791
- Thyroid gland**, in acclimatization to cold, 820-821
- Thyrotoxicosis**, auricular fibrillation in, 311
- Thyroxin**, in acclimatization to cold, 820-821
- Tissue**, nodal, arterial supply to, 547-553
- Tobacco**, 775
and myocardial infarction, 326, 332
peripheral vascular system after, 955
- Tolazoline**, skin circulation after, 409-410, 414
- Tooth**, extraction of, during long-term anticoagulant therapy, 831
- Torso** model, homogeneous, frontal plane studies of, 724-735
- Trafuril**, for skin test in rheumatic disease, 949
- Transfusion**
in cardiac arrest, 463
intra-aortic, 157
intra-arterial, 613
gangrene after, 468
potassium hazard in, 470
- vs. intravenous, in hemorrhagic shock, 468
for shock, 607-608, 613
- Transplantation**, of left anomalous pulmonary vein to left atrium, 954
- Transthoracic lead**, bipolar, de termination of, 137
- Trauma**
pericarditis due to, 438
pulmonary embolism after, 154
septal defect due to, 787
shock due to, 606-610
subendocardial, due to cardiac catheterization, 471
- Treburon**, 450
- Tricuspid valve**
regurgitation
with mitral stenosis, 766
phonocardiography, 131
stenosis of
with mitral stenosis, 766
surgical treatment of, 881-885
- Triethylene melamine**, for lupus erythematosus, 782
- Tromexan**, 301
clinical evaluation of, 314
vs. Dipaxin, 234-236
long-term therapy with, 826-833
prothrombin response to, 301
vitamin K, for hypoprothrombinemia due to, 301
- T sê-loop**, 271-273
in pregnancy, 383-385
- Tuberculosis**, pericarditis due to, 17-21, 433-435
antimicrobial therapy for, 145
- Tumor**
metastasis to heart, 220-228
pericardial, 438-439
testicular, heart involvement by, 225
- U wave**
in cerebrovascular accidents, 719-720
after running, 844
- Ulcer**
esophageal, perforation of aorta due to, 471
of leg, post-partum, 790
peptic, and anticoagulant therapy, 745-746
postphlebotic, Priscoline for, 76
- Unipolar lead**, 773
- Uremia**
pericarditis in, 433, 436-437
urinary catechol excretion in, 596, 597, 598
- Urginin**, urticaria due to, 304
- Urine**
catechol excretion in, 592-598
volume of, in shock after myocardial infarction, 42
- Urokon**, in venography of lower extremity, 155
- Urticaria**, due to glycosides, 303
- Utilization quotient of oxygen**, after exercise in mitral stenosis, 313
- Vagus nerve**, stimulation of, 945
arterial wall secretion due to, 903-907

- blood pressure after, 903-907
cardiovascular effects due to, 96-104
electric, 776
membrane potentials of heart after, 315
in Stokes-Adams syndrome, 853
Valsalva maneuver, and circulation, 150, 511-519
Valvotomy, mitral, 452
Valvuloplasty, mitral, metabolic changes in, 199-217
Varicose vein
surgery for, 629
treatment for, 953
Vascular bed
peripheral
during anesthesia, 631
in bulbar conjunctiva, 626
fatal failure of, in exfoliative dermatitis, 632
vs. visceral, 63-66
vs. visceral in hypertension, 68-71
visceral vs. peripheral, 63-66
in hypertension, 68-71
Vascular disease
capillary fragility of skin in, 953
peripheral, ballistocardiography, 940
Priscoline for, 73-80
Vascular system
anaphylactic lesion of, 471
injury to, in Korean war, 952
peripheral, after smoking, 955
pulmonary, injury to, during resection, 950
Vascularization, of bone, in Paget's disease, 154
Vasodepressor material, 610-611
Vasodilatation
due to arterial gas embolism, 951
due to reactive hyperemia, 181
Vasoeccitator material, 610-611
Vasomotor block, and position of lower extremities, 465
Vasoxyl, for supraventricular tachycardia, 780
VDM, 610-611
VEM, 610-611
Vector
electrocardiographic, from chest leads, 7
mean spatial, construction of, 555-562
spatial, calculation of angle between, 457
Vectorcardiogram, spatial
effect of deep inspiration on, 384, 386
mechanical inscription of, 276-279
in pregnancy, 381-387
quantitative analysis of, 775
variations of, 458
of ventricular gradient, 267-274
Vectorcardiography, spatial
in bundle branch block, 137
clinical value of, 457
cube system, and heart eccentricity, 137-138
frontal plane studies of homogeneous torso model, 724-735
limitations, 940
in normal middle-aged men, 105-113
tetrahedral system, and heart eccentricity, 137-138
Vein
air embolism in, body position in therapy for, 153
blood pressure in, during surgery, 152
compression of, and circulation in extremity, 952
major, ligation of, 950
pressure in
after digoxin, 945
in myocardial infarction, 356, 359, 360
after ouabain, 945
in shock due to myocardial infarction, 850
after strophanthosid, 945
during surgery, 152
thrombosis
management of, 790
post-partum, 790
varicose
surgery for, 629
treatment for, 953
Velocity ballistocardiography, 307
Vena cava, persistent left superior, draining the pulmonary veins, 955
Venepuncture, syringe in, 451-452
Venography, 953
of lower extremity, 953
with Urokon, 155
Venom, rattlesnake, cardiovascular responses to, 467
Ventricle
arrhythmia, and thyroid inhibition, 145
failure of, blood volume in, 578
fibrillation
Adams-Stokes syndrome due to, 144
in aortic commissurotomy, 27
quinidine sulfate for, 144
transient, 144
function curve, 706, 709-716
in heart failure, 772
hypertrophy of
in aortic stenosis, 26, 27
in coarctation of aorta, 372-379
and pulmonary arterial pressure, 307
and right atrial pressure wave, 312
intact septum of, with congenital pulmonary stenosis, 302
ischemic, and spatial QRS and T vector, 109, 111-112
in mitral insufficiency, 27-28
in mitral stenosis, congenital, 167
premature contraction of
bigeminal, 123
due to digitalis, 120-121
Pronestyl for, 120-121
in myocardial infarction, 327
rate of, in digitalis intoxication, 121-122
right
pressure in, 311
standstill of
with auricular standstill in Stokes-Adams attack, 853-855
due to carotid sinus pressure, 857-859
external electric stimulation for, 492
stroke volume, during tamponade, 426-427
tachycardia
Adams-Stokes syndrome due to, 144
due to digitalis, 117
due to K-strophanthoside, 82-88
in myocardial infarction, 135, 328
after norepinephrine for shock in myocardial infarction, 45
paroxysmal, 135
paroxysmal, in myocardial infarction, 328
prolonged, 145
Pronestyl for, 125
quinidine for, 145
Ventricular function curve, 706, 709-716
Ventricular gradient
clinical value of, 138
mean spatial, in pregnancy, 381-387
after running, 842-843
spatial, 267-274
determination of, 137
Vertigo, after Hydergine, 54, 55
Viscosity, of blood, in lipemia, 342
Vision, after pentapyrrolidinium in hypertension, 544
Vitamin B₁₂, for congestive heart failure, 450
Vitamin C, for hemorrhage, 754
Vitamin K₁, in long-term anticoagulant therapy, 830
for recovery from Dipaxin, 233-235
Vitamin K₂
for hypoprothrombinemia due to Tromexan, 301
in long-term anticoagulant therapy, 830
for recovery from Dipaxin, 234-235
Volkman's contracture, thrombectomy in, 317
Voltage, Wilson central-terminal, 724-735
Vomiting
due to dibucaine, 86
of digitalis intoxication, 123
after Hydergine, 54, 55
due to strophanthoside, 85
Warfarin (sodium derivative), 934
Water
of body, in mitral stenosis, 204, 206-209
as diuretic, 467
excretion of, and hypoxia, 142
metabolism of, in heart failure due to beriberi, 250-252
postoperative retention of, 156
Whale, heart rate of, 309

White blood cell, in myocardial infarction, 327
Wilson central-terminal voltage, 724-735
Wiring, of aortic aneurysm, 498, 630

Wolff-Parkinson-White syndrome
myocardial infarction with, 456
procaine for, 779
Pronestyl for, 779
Work, spatial electrocardiography after, 307

World Congress of Cardiology, second, 319-320, 481, 638, 797-798, 957-959
World Heart Congress, 481
World Literature on Blood Pressure 1920-1950, 159

